









FOREST, LAND AND AGRICULTURE SCIENCE BASED TARGET-SETTING GUIDANCE



ACKNOWLEDGMENTS

This guidance was developed by the World Wildlife Fund for Nature (WWF) on behalf of the Science Based Targets initiative (SBTi). The SBTi is a global body enabling businesses to set ambitious emissions reductions targets in line with the latest climate science. It is focused on accelerating the progress of companies across the world to halve emissions before 2030 and achieve net-zero emissions before 2050.

The initiative is a collaboration between CDP, the United Nations Global Compact, World Resources Institute (WRI) and World Wildlife Fund for Nature (WWF), and is one of the We Mean Business Coalition commitments. The SBTi defines and promotes best practice in science-based target setting, offers resources and guidance to reduce barriers to adoption, and independently assesses and approves companies' targets.

This guidance is funded by the Gordon and Betty Moore Foundation, through Grant GBMF8883 to World Wildlife Fund US. Additional support was provided by Danone, Mars, Cargill, IKEA, Kimberly Clark, General Mills Foundation, and Tyson.

During the development of this work, we engaged Quantis International as our consultant to enhance the commodity pathways with land use change (LUC) and removals. We would like to acknowledge the experts from that team who contributed to this project: Chris Casolaro, Alexi Ernstoff, Tetyana Pecherska, Vincent Rossi and Paula Sangines.

For this guidance, we convened sustainability experts of the following companies: ABinBev, Arauco, Cargill, Danone, General Mills, IKEA, International Paper, Kimberly-Clark, Klabin, Tyson, Mars, McDonald's, Nestle, Pepsi, Procter & Gamble, RCL Foods, Sodexo and Walmart, who provided input and model pilot testing. We are grateful to them for sharing their time and insights, as well as for testing the tools with genuine data.

For this guidance, we received invaluable insights and deep technical review from NGO and other experts on Agriculture, Forestry, and Other Land Use (AFOLU), including Naikoa Aguilar-Amuchastegui, Craig Beatty, Scarlett Benson, Saskia Braden, Caitlin Clarke, Peter Ellis, Akiva Fishman, Morgan Gillespy, Bronson Griscom, Courtney Hall, Tim Juliani, Tom Maddox, Monica McBride, Amelia Meyer, Karen Mo, Emily Moberg, Alexandre Prado, Matt Ramlow, David Rich, Meryl Richards, Stephanie Roe, Leah Samberg, Marty Spitzer, Guillaume Tessier, Jean Timmers, Rich Waite, Chris Weber, Stephen Wood, and Alex Zvoleff.

Finally, we would like to acknowledge the SBTi Technical review team: Fernando Rangel Villasana, Emma Watson, Andres Chang and Karl Downey.

These dedicated experts from industry, academe and NGOs provided detailed input during the planning phase and on various drafts of the guidance and tool. Throughout the development process, we received active input from a broad range of stakeholders through our open channels via bilateral exchange, roundtables, webinars and our FLAG email account. A public consultation

was held in January and February 2022 to gain more broad-reaching input on key methodological choices from all stakeholders, and are grateful for all of the contributions of time and expertise from stakeholders to improve this version 1.0 of the FLAG guidance for the SBTi. See the section "Guidance and tool development process" below for additional information.

Primary authors:

Christa Anderson, Tereza Bicalho, Elizabeth Wallace, Tim Letts, Martha Stevenson

^{© 1986} Panda Symbol WWF - World Wide Fund For Nature (also known as World Wildlife Fund)

^{® &}quot;WWF" is a WWF Registered Trademark

FOREWORD

If we are to implement the Paris Agreement, we must take ambitious climate action on a global scale. We see accelerating action globally in every sector in every market undergoing transformation. Non-state actors, which play a key role in driving change, are taking action, with more than 3,000 companies committed to setting greenhouse gas (GHG) emission reduction targets in line with the Paris Agreement goals through the Science Based Targets initiative (SBTi). Leading businesses recognize the timeliness of this opportunity and the imperative to be part of the solution.

The land sector is crucial in this process. The forest, land and agriculture (FLAG) sector, also known in the scientific community as the Agriculture, Forestry, and Other Land Use (AFOLU) sector, or just land sector, has been historically difficult to evaluate with GHG accounting and target-setting approaches. But FLAG nonetheless represents about 22% of net anthropogenic GHG emissions in tonnes of CO₂ equivalent (~13 GtCO₂e per year), with about half from agriculture and half from land use, land-use change and forestry (LULUCF) (IPCC, 2022). In terms of mitigation, the land sector could contribute up to 37% of the emissions reductions and removals needed through 2030, and 20% through 2050 (Griscom et al., 2017).

To meet the goals of the Paris Agreement, a broad set of mitigation strategies will be needed to both reduce emissions and enhance sinks. Although GHG emissions from the FLAG sector need to be significantly reduced by 2050, agricultural production is expected to increase by about 50% by then to meet increased food demand (WRI, 2019). Emissions in the land sector could be reduced by stopping deforestation and land conversion, reducing peat burning and forest degradation, lowering agricultural emissions, and reducing emissions via demand shifts (e.g., addressing diet shift, food loss and waste). Forests and soils store carbon, so these sinks (GHG removal) need to be taken into account as well. GHG removal can be achieved by restoring natural ecosystems, deploying silvopasture, improving forest management practices, and enhancing soil carbon sequestration on pasture and farmland. When companies set ambitious science-based targets on FLAG emissions, this sends a strong signal to local, regional and national policymakers. Many of these mitigation strategies bridge climate and nature agendas and are win-win strategies to achieve a Net-Zero and nature positive future. These targets have the potential to move companies from doing something for climate to doing enough to reach the Paris goals.

This report presents the conclusions of experts who have focused on developing best practices for science-based target setting in the FLAG sector over the past two years. By using the FLAG tool and this guidance, companies with FLAG-related emissions can get themselves on track and set targets in line with a 1.5°C world.

CONTENTS

ACKNOWLEDGMENTS	1
FOREWORD	3
CONTENTS	4
1 INTRODUCTION	9
1.1 What are SBTs?	9
1.2 What are FLAG SBTs?	9
1.3 How do FLAG SBTs differ from energy/industry SBTs?	9
1.4 FLAG criteria overview	10
2 GETTING STARTED: REQUIREMENTS FOR SETTING A FLAG TARGET, AND EMISSIONS COVERAGE	15
2.1 Companies required to set a FLAG target	15
2.1.1 Interim voluntary period for FLAG target setting	16
2.1.2 FLAG pathway options	17
2.2 Target boundaries and emissions coverage	17
3 OVERALL GUIDANCE ON SCIENCE-BASED TARGET-SETTING FOR FLAG	21
3.1 Accounting for land-related emissions	21
3.1.1 LUC emissions	24
3.1.2 Land management (non-LUC emissions)	26
3.1.3 Demand-side mitigation levers	26
3.1.4 Carbon removals and storage	27
3.1.5 Bioenergy emissions and removals from feedstock production	28
3.1.6 Data quality	29
3.2 No-deforestation commitments	30
3.3 Practical steps to set a FLAG target	31
3.3.1 Choosing the appropriate pathway for FLAG target setting	32
3.3.2 Definition of a target period	34
3.3.3 Entering data in the FLAG tool	34
3.3.4 FLAG target validation	36
3.3.5 Communication of the FLAG target	36
3.3.7 Consideration for implementation actions to meet FLAG target	38
4 METHODOLOGICAL CHOICES	41
4.1 Two approaches to set FLAG targets	41

4.1.1. FLAG sector pathway	43
4.1.2. FLAG commodity pathways	44
4.2 Robust science-based 1.5°C aligned pathways	46
4.3 How is deforestation addressed?	47
GLOSSARY	49
RESOURCES	53
REFERENCES	56
APPENDIX A: SUMMARY OF DEVELOPMENT PROCESS	59
APPENDIX B: RESPONSE OPTIONS ASSOCIATED WITH FOOD, FORESTRY, AND LAND SECTORS	61

ABOUT THIS GUIDANCE

This document supports companies that are interested in setting science-based targets for Forest, Land, and Agriculture (FLAG) related greenhouse gas (GHG) emissions and removals according to the new, refined pathways in the FLAG tool. It builds on the existing criteria and recommendations of the Science Based Targets initiative (SBTi) for setting science-based targets (SBTs). Companies in land-intensive sectors have a critical role to play in the transformation to a low-carbon economy, given that Agriculture, Forestry and Other Land Use (AFOLU) emissions represent nearly a quarter of global GHG emissions and significant potential for increased removals.

This document describes the SBTi FLAG criteria and recommendations for FLAG target setting and provides detailed guidance on the use of the FLAG tool. It contains guidance on how to set targets for FLAG-related emissions across different scopes and for different tool end users. Endusers include agricultural commodity producers including from animal sources (e.g., meat and dairy); pulp and paper product producers; wood product producers and retailers; food retailers; companies that use inputs derived from FLAG sectors (e.g., cosmetics, textile, leisure); and companies that generally have a large FLAG-related footprint (i.e., significant AFOLU emissions per unit of product). Policymakers can also use this guidance to inform the development of programs and regulations.

Version 1.0 of this FLAG guidance document is being released in September 2022. An updated version of the FLAG guidance will follow after the GHG Protocol Land Sector and Removals Guidance is finished to ensure alignment with corporate accounting guidance. As is standard in the SBTi, companies that set targets with the current version of the guidance are still encouraged to update targets with the release of future versions; any target updates should occur as part of the regular target review process or when a target recalculation is warranted, following SBTi criteria.

This guidance document covers near-term (five-ten year) FLAG targets. For information about setting long-term net-zero FLAG targets, please see the Net-Zero Standard.

Guidance and tool development process

The FLAG tool and guidance were developed following an extensive review of available data and models, including interviews with each of the model developers to understand underlying assumptions and limitations. Input and feedback on the tool and guidance were provided throughout the project, including through ongoing stakeholder engagement with extensive opportunities for feedback. This included convening two roundtable discussions at the beginning of the development process, in partnership with the GHG Protocol, to determine approaches and methods that would guide the development process. Multiple public webinars were held throughout the project, during which we received critical questions and suggestions from academics, NGOs, finance organizations, industry trade associations and companies. In addition, the guidance and tool were pilot tested by an 18-member consultative group, and technical expert

review meetings were held with external civil society members and academics to gather inputs and improve the FLAG guidance and tool.

The guidance underwent a public consultation for review and feedback in January and February 2022, and garnered nearly 1,600 comments from 165 organizations. Twenty-six percent of the feedback received during public consultation was from civil society organizations. Detailed responses to the public consultation, and revisions made based on these responses, are elaborated in the *FLAG Public Consultation Summary of Comments and Responses*. For a detailed timeline of the guidance development process, please see Appendix A.

Quick guide to this document

1	Introduction	 Provides background information: Fundamentals about FLAG target setting. Overview of (how to use) this guidance. Overall description of the FLAG criteria.
2	Getting started: Requirements for setting a FLAG target and emissions coverage	 Who: Which companies need to set a FLAG target. When: How much time from the publication of this guidance companies have to set their FLAG targets. What options the SBTi offers for FLAG target setting and what must be the emissions coverage.
3	Overall guidance on science-based target setting for FLAG	Provides a practical step-by-step on how to set a FLAG target.
4	Methodological choices	Describes the methods used to build the tool and to produce this guidance document.

1 INTRODUCTION

The SBTi drives ambitious climate action in the private sector by enabling companies to set science-based emission reduction targets. SBTs show companies how much and how quickly they need to reduce their GHG emissions to align with the Paris Agreement and help the world avoid the worst effects of climate change.

This guidance document and science-based targets for FLAG apply specifically to the land-related emissions and removals (that qualify under the GHG Protocol accounting guidance) in a company's direct emissions and supply chain.

1.1 What are SBTs?

GHG emissions reduction targets are considered science based if they are in line with what the latest climate science says is necessary to meet the goals of the Paris Agreement: Limit global warming to well below 2°C above pre-industrial levels and pursue efforts to limit warming to 1.5°C. The SBTi currently validates targets aligned with 1.5°C for scope 1 and 2 and targets aligned with well below 2°C or with 1.5°C for scope 3.

1.2 What are FLAG SBTs?

FLAG SBTs are science-based targets that apply to a company's GHG emissions from AFOLU, including GHG emissions associated with land use change (LUC) (i.e., biomass and soil carbon losses from deforestation, conversion of coastal wetlands, conversion/draining and burning of peatlands, conversion of savannas and natural grasslands); emissions from land management (i.e., nitrous oxide and methane from enteric fermentation, biomass burning, nutrient management, fertilizer use and manure management); and biogenic removals (i.e., forest restoration, silvopasture, improved forest management, agroforestry and soil carbon sequestration). Table 5 contains a detailed description. FLAG targets are separate from other fossil/industrial or non-FLAG targets.

The SBTi provides two approaches to FLAG target setting to enable companies to calculate GHG reduction targets in line with the Paris Agreement:

- The FLAG sector pathway for companies with diversified FLAG emissions.
- The FLAG commodity pathways, which include 11 pathways for specific commodities: beef, chicken, dairy, leather, maize, palm oil, pork, rice, soy, wheat, and timber & wood fiber.

Companies may combine multiple commodity pathways and the sector pathway as appropriate for target setting (see section 3.3.5). Both sector-based and commodity-based FLAG targets are consistent with scenarios that limit global temperature increase to 1.5°C.

1.3 How do FLAG SBTs differ from energy/industry SBTs?

Few companies have comprehensively accounted for AFOLU emissions or removals in their targets or disclosures. A key challenge has been the lack of available standards, guidance and

methods, but this challenge is solved with the FLAG SBTi guidance and the forthcoming GHG Protocol Land Sector and Removals Guidance (draft guidance released September 2022).

FLAG targets cover the specific portion of emissions that are related to the land sector, including, but not limited to, emissions and removals from agricultural and forestry production "up to the farm gate" (excluding energy-related emissions from processing of biomass).1 All other energy/industry (non-FLAG) emissions in a company's inventory must be covered by SBTs that use other approved SBT methods, such as the following:

- Absolute contraction.
- Physical intensity convergence using the appropriate Sectoral Decarbonization Approach.
- Renewable electricity (scope 2 only).
- Supplier or customer engagement (scope 3 only).
- Physical intensity contract (scope 3 only).
- Economic intensity (scope 3 only).

For more information on energy/industry targets, see the SBTi Corporate Manual, the SBTi Criteria and Recommendations and the Net-Zero Standard, as well as any relevant sector guidance.

It is important to note that because FLAG SBTs are separate from energy/industry (non-FLAG) SBTs, FLAG abatement cannot be used to meet energy/industry abatement targets (e.g., improved forest management removals cannot be used to meet targets on fossil fuel emissions reductions). This is to ensure that companies do not account for biogenic removals in their value chains to meet energy/industry (non-FLAG) targets. Biogenic removals may be accounted for only to meet FLAG targets (see section 3.1.3).2

1.4 FLAG criteria overview

Relevant criteria for FLAG targets are summarized in Table 1 below. Additional detail on each criterion is found in the sections listed.

Table 1. Summary of criteria and recommendations in this guidance linked to the relevant section

Topic	Criterion/ Recommendation	Description
		The SBTi requires companies that meet either of the following two criteria to set a FLAG target:
Companies required to set FLAG targets	FLAG-C1 Section 2.1	 i) Companies from the following FLAG- designated sectors are required to set FLAG targets:
		 Forest and Paper Products —Forestry, Timber, Pulp and Paper, Rubber.

¹ See Table 5 for a detailed description of FLAG-related emissions included in SBTi FLAG.

² Future SBTi guidance on neutralization will define what removals may be used to meet the neutralization component of net-zero targets.

Topic	Criterion/ Recommendation	Description
		 Food Production–Agricultural Production. Food Production–Animal Source. Food and Beverage Processing. Food and Staples Retailing. Tobacco.
		<i>ii)</i> Companies with FLAG-related emissions that total 20% or more of overall emissions across scopes.
		For the initial period following the FLAG tool and guidance release (September 2022-April 2023), setting a FLAG target is voluntary but recommended.
		From April 2023 onward, companies that meet the FLAG criteria (as per FLAG-C1) and are in the process of setting targets will be required to also set FLAG targets. See Figure 1 for the FLAG target-setting timeline for near-term and long-term targets.
		Two different timelines apply for companies that meet FLAG criterion 1 (FLAG-C1) and submit targets for recalculation based on SBTi recalculation criteria (see <u>Figure 3</u>):
		 Companies with near-term targets validated prior to January 1, 2020 have until the end of 2023 to include a FLAG target. Companies with near-term targets validated after January 1, 2020 have until the end of 2024 to include a FLAG target.
Companies recommended to set FLAG targets	FLAG-R1 Section 2.1	It is recommended that companies with FLAG-related emissions that fall below the 20% threshold nonetheless set a FLAG target. If a company chooses not to set a FLAG target, FLAG-related emissions still must be included in the overall target boundary and accounted for, together with energy/industry (non-FLAG) targets for a complete GHG inventory. No FLAG biogenic removals can be included if an energy/industry (non-FLAG) target is used.
	51.40.00	The FLAG target must cover at least 95% of FLAG-related scope 1 and 2 emissions.
Target boundaries and emissions coverage	FLAG-C2 Section 2.2	The FLAG target must cover at least 67% of FLAG-related scope 3 emissions. When included in the FLAG target, FLAG-related scope 3 emissions are separate from a company's energy/industry (non-FLAG) 67% scope 3 target coverage. Each 67% threshold should be met independently.

Topic	Criterion/ Recommendation	Description
		Beginning April 2023, companies that meet the relevant criteria are required to account for their land-related emissions and removals from activities occurring within their value chains and include them in a FLAG target.
		Land-related emissions accounting must include:
		i) LUC CO ₂ emissions: All emissions from LUC, including those associated with livestock feed and conversion of natural forests to plantation.
	FLAG-C3 Sections 3.1.1, 3.1.2, 3.1.3	<i>ii)</i> Land management (non-LUC) emissions: All emissions from land management (biogenic CO ₂ , N ₂ O and CH ₄). CO ₂ emissions related to on-farm vehicles and fertilizer production are also included, as they are commonly embedded in accounting tools and emission factors associated with land management.
		iii) Carbon removals and storage: Carbon sequestration from improved forest management, agroforestry, forest restoration, silvopasture, soil organic carbon and biochar. Emissions and removals from the production and end use of bioenergy shall <i>not</i> be included in FLAG target setting and shall be addressed in accordance with SBTi general criteria on bioenergy (see criterion C10 and recommendations R3 and R4).
		Companies shall calculate their FLAG base year emissions (tCO_2e) in line with the forthcoming GHG Protocol Land Sector and Removals Guidance (draft released September 2022). See <u>Table 4</u> for interim accounting guidance.
		The SBTi recommends that companies meeting FLAG criterion 1 set FLAG targets while they are waiting for the final release of the GHG Protocol Land Sector and Removals Guidance (draft released September 2022). The SBTi recommends using the draft version for accounting guidance.
	FLAG-R2 Section 3.1.1	Companies shall use either direct LUC (dLUC) or statistical LUC (sLUC) to estimate their LUC emissions across scopes 1-3, consistent with GHG Protocol Land Sector and Removals Guidance. Indirect LUC (iLUC) should only be included in the target boundary through sLUC, given their overlap.

Topic	Criterion/ Recommendation	Description
No-deforestation commitment	FLAG-C4 Section 3.2	Companies setting FLAG targets are required to publicly commit to no deforestation covering all scopes of emissions. Commitment language will be posted on the SBTi website, along with the SBT target language; it should take the following form: "[Company X] commits to no deforestation across its primary deforestation-linked commodities, with a target date of [no later than December 31, 2025]."
	FLAG-R3 Section 3.2	The SBTi highly recommends that companies align deforestation commitments with the Accountability Framework initiative (AFi) guidance, particularly including a 2020 (or earlier) cutoff date. The SBTi also recommends setting no conversion and no peat burning commitments.
FLAG target setting	FLAG-C5 Section 3.3	Companies must keep FLAG and energy/industry (non-FLAG) targets and accounting separate. FLAG-relevant emissions and removals include those related to agriculture (to farm gate, excluding processing), LUC and land management, including forestry (to yard, excluding processing). For companies with FLAG emissions below the 20% threshold that choose not to set a separate FLAG target, FLAG emissions must be accounted for separately and included in the traditional target. Removals may <i>not</i> be used in this case.
Level of ambition	FLAG-C6 Section 3.3	A FLAG company's target classification will be determined based on the ambition of its energy/industry (non-FLAG) target.
Tool usage	FLAG-C7 Section 3.3.1	Supply-side companies with emissions from one of the ten available agricultural commodity pathways that account for 10% or more of a company's total (gross, excluding removals) FLAG emissions (across all scopes) may use the commodity pathway for that commodity. (See C8 for criterion on use of the timber & wood fiber pathway.)
Tool usage	FLAG-C8 Section 3.3.1	Companies in the forest and paper products sector or with emissions related to timber & wood fiber accounting for 10% or more of their FLAG emissions (gross, excluding removals) are <i>required</i> to use the commodity pathway for timber & wood fiber available in the commodity pathways.

Topic	Criterion/ Recommendation	Description
		Rubber companies must use the sector pathway, not the timber & wood fiber commodity pathway.
	FLAG-C9 Section 3.3.1	If a commodity pathway is used, sub-global pathways must be applied for the commodity based on commodity sourcing by region/country. In cases where the global pathway is more ambitious than a company's regional pathway, a company may opt to use the global pathway.
Base and target	FLAG-C10 Section 3.3.2	In alignment with SBTi criteria, targets must cover a minimum of five years and a maximum of ten years from the date the target is submitted to the SBTi for official validation.
years	FLAG-R4 Section 3.3.2	In addition to a near-term FLAG target, companies are encouraged to develop a long-term agriculture FLAG target with a target year before 2050 aligned with the Net-ZeroStandard . (Long-term targets for forestry are not yet available as of 2022.)
	FLAG-C11 Section 3.3.4	Companies must report removals and emissions separately for both baseline and annual emissions accounting.
Target validation and reporting	FLAG-C12 Section 3.3.4	When aggregating FLAG targets across commodities and/or approaches, companies must report on sub-targets, in addition to the overarching, aggregated target, in their validation form. Companies shall meet the aggregated target, and they should also strive to meet their sub-targets (e.g., individual commodities) as well. (Sub-targets may not be met in cases where doing so impedes progress on demand-side levers, for example.)
Target communication	FLAG-R5 Section 3.3.5	Companies are encouraged to aggregate FLAG commodity targets and the FLAG sector target into one combined FLAG target, when this is relevant, using the aggregator tool, though reporting to the SBTi on sub-targets for target validation is still required.

2 GETTING STARTED: REQUIREMENTS FOR SETTING A FLAG TARGET, AND EMISSIONS COVERAGE

This section provides additional detail on the SBTi-designated sectors that are required to set a FLAG target, FLAG tool options and interim period for using them, and specifications on emissions coverage.

2.1 Companies required to set a FLAG target

The SBTi requires companies that meet either of the following two conditions to set a FLAG-specific target separate from their target(s) for other emissions (FLAG-C1):

- i) Companies from the following SBTi-designated sectors are required to set a FLAG target: Forest and paper products (forestry, timber, pulp and paper); food production (agricultural production); food production (animal source);³ food and beverage processing; food and staples retailing; and tobacco.
- ii) Companies in any other sector with FLAG-related emissions that total more than 20% of overall emissions across scopes. The 20% threshold should be accounted for as gross emissions, not net (gross minus removals).

The 20% threshold is designed to ensure that companies with relevant emissions are included in FLAG target setting and to avoid onerous reporting requirements for companies with limited FLAG-related emissions. It is based on gross emissions (i.e., removals are excluded) and must include emissions from LUC using either dLUC or sLUC, as aligned with the GHG Protocol guidance.

Land-intensive activities are likely to be relevant in the GHG inventories (especially in scope 3, category 1) of companies from the following sectors: Retailing; containers and packaging; hotels, restaurants, leisure and tourism services; textiles manufacturing, spinning, weaving and apparel; textiles, apparel, footwear and luxury goods; consumer durables; household and personal products; tires; building products; home building; and construction materials. Other sectors may also be relevant for FLAG targets. For example, companies with LUC emissions related to construction and maintenance, infrastructure development, mining, roadbuilding, resource extraction, or other activities should set FLAG targets to account for their LUC emissions if those emissions meet the 20% threshold. They must include LUC emissions in their inventories even if those emissions fall below the threshold requiring a FLAG target.

Small and medium-sized enterprises (SMEs) are not required to set FLAG targets. Instead, SMEs are covered by existing SBTi guidance specifically for <u>SMEs</u>.

³ While companies involved in wild-caught seafood fall into this category, FLAG targets are not required for wild-caught seafood.

If a company falls under a FLAG-designated sector (e.g., food and beverage processing) but has no or only limited (less than 5%) GHG emissions associated with land and agriculture, the company does not need to set a FLAG target, but shall include those FLAG-related emissions in the overall target boundary and account for them with energy/industry (non-FLAG) targets. No FLAG removals can be included in a target if it is not a FLAG target.

Additional details on companies required to set FLAG targets are included in sections 3.2 and 3.3.

From September 2022, any company may set a FLAG target in addition to its other SBTi target(s). Companies with FLAG-related emissions that are not required to set a FLAG target are still encouraged to do so (FLAG-R1). All companies are required to include FLAG-related emissions in their inventories under the GHG Protocol Land Sector and Removals Guidance (draft released September 2022). FLAG SBTs increase the credibility of corporate climate commitments and help companies initiate mitigation action in line with the Paris Agreement goals.

Companies that have existing SBTs and are operating in SBTi FLAG-designated sectors, or that meet the 20% threshold specified above, will need to separate their FLAG emissions from their energy/industry emissions and set a FLAG SBT when recalculating their targets. It is recommended that companies with FLAG-related emissions that fall below the 20% threshold nonetheless set a FLAG target. If a company chooses not to set a FLAG target, FLAG-related emissions still must be included in the overall target boundary and accounted for, together with energy/industry (non-FLAG) targets for a complete GHG inventory.

2.1.1 Interim voluntary period for FLAG target setting

SBTi common practice is to provide an interim period for companies to familiarize themselves with the SBTi's new guidance and adjust their strategies.

From September 2022 until April 2023, setting FLAG targets is voluntary but recommended for companies that meet criterion 1. However, from April 2023 onward, after the FLAG tool and guidance have been available for more than six months, companies operating under the conditions specified in section 2.1 (FLAG-C1) are required to set a FLAG target (including FLAG long-term targets for those companies opting to set net-zero targets).

Apr 2023*** onward Sept 2022-Mar 2023 Until Sept 2022 FLAG available for over : Interim period: FLAG tools and guidance are available onths and GHG Protocol dra released Setting GHG inventory is a pre-uisite to target-setting* near-term **FLAG SBTs** COMPANIES" **FLAG** targets recommended That do not have Setting validated SBTs net-zero Wait until FLAG FLAG targets targets Guidance is **REQUIRED** released FLAG targets requisite FLAG recommended. If COMPANIES** company does not Adding netfollow FLAG (That already zero SBTs recommendation, they have validated must set a FLAG target SBTs by end of 2023 "Assuming GHG Protocol **Please refer to Criterion 1 Table 5 in draft final draft is released in April (FLAG-C1) in draft FLAG FLAG Guidance 2023 for GHG required to set FLAG accounting

Figure 1. Expected evolution of FLAG target setting

Companies with existing, validated SBTi targets also have an interim period to include a FLAG target. (See Figure 3 on timelines for FLAG in target recalculation (section 3.3.6).)

2.1.2 FLAG pathway options

The SBTi provides two approaches to FLAG target setting:

- A FLAG sector approach for companies with diversified FLAG emissions and removals potential (sector-specific absolute reduction).
- A commodity-based approach with 11 commodity pathways: Beef, chicken, dairy, leather, maize, palm oil, pork, rice, soy, wheat, and timber & wood fiber (sector-specific intensity convergence).

Companies may combine multiple commodity pathways and the sector pathway as appropriate for target setting. When multiple pathways are aggregated, intensity targets are converted to absolute numbers to enable aggregation.

2.2 Target boundaries and emissions coverage

As per SBTi overall guidance, the FLAG target must cover at least 95% of a company's FLAGrelated scope 1 and 2 emissions and 67% of FLAG-related scope 3 emissions (FLAG-C2). For example, a company that owns or operates land directly may have FLAG-related emissions in its scope 1 and 2 inventories and would include 95% of those emissions in its FLAG target. A company that purchases goods and services from suppliers with land-based activities may have

FLAG-related emissions in its scope 3 inventory and would include at least 67% of those emissions in its FLAG target.

In alignment with SBTi criteria and recommendations, a scope 3 target is required if a company's scope 3 emissions are 40% or more of total scope 1, 2 and 3 emissions across all categories, including FLAG and energy/industry emissions. For companies that meet the 40% threshold and are therefore required to have a scope 3 target, FLAG and energy/industry emissions must be separated, with each category covered at 67%. While FLAG targets include removals, only gross emissions values should be used to meet the 67% threshold, not including removals. See the example in Table 2 (which assumes gross accounting, without removals included).

Table 2. Examples of scope 3 target coverage at 67% for FLAG and energy/industry (non-FLAG) emissions

	Company A (tCO2e)			Company B (tCO2e)		
	Total	FLAG	Non-FLAG	Total	FLAG	Non-FLAG
Total scope 3 emissions	1000	800	200	1000	500	500
Target must cover (67%)	670	536	134	670	335	335

Table 3. Tool use and target boundaries by sector

SECTOR		cove	sions erage	User description	FLAG approach	
			Scope 1* & 2	Scope 3		
F	•	Food Production– Agricultural Production.	95%	67%	Landowner/farming companies with feedstock/livestock production corresponding to one or more FLAG-specific agricultural pathways (existing FLAG commodity pathway).	Commodity approach or Sector approach
o d a n	•	Food Production– Animal Source.			Landowner/farming companies with feedstock/livestock production other than the ten FLAG-specific pathways (excluding the timber & wood fiber commodity pathway).	Sector approach
d	•	Food and Beverage			Companies with diversified land use intensity activities in their value chain.	
A g	•	Processing. Food and Staples Retailing. Tobacco.	95%	67%	Companies with FLAG-specific commodity production (commodity existing pathway) in their value chain.	Sector approach recommended or Commodity approach with potential target recalculation trigger***
F o r e s t	•	Forest and Paper Products–Forestry, Timber, Pulp and Paper.	95%	67%	Companies in the forest product industry or landowner or land manager in the forestry product industry.	Commodity approach
	•	Consumer, Durables, Household and Personal Products. Containers and Packaging.	95%	67%	Companies in the forest and paper products sector or with emissions related to timber & wood fiber accounting for 10% or more of their FLAG emissions (gross, excluding removals) are <i>required</i> to use the commodity pathway for timber & wood fiber.	Commodity approach

O t h e r	 Hotels, Restaurants and Leisure, and Tourism Services. Textile Manufacturing, Spinning, Weaving and Apparel 	Companies with FLAG-specific commodity production (commodity existing pathway) in their value chain.	Sector approach recommended or Commodity approach with potential target recalculation trigger***
*	 Textile, Apparel, Footwear and Luxury Goods. Retailing. Tires. Any Other With Significant Land Emissions. 	Companies with diversified land use intensity activities in their value chain.	Sector approach

^{*}Note that "production contracts and other forms of agricultural contracting, land and equipment leases, and membership of co-operatives" are accounted for in scope 1 following the GHG Protocol Agricultural Guidance.

^{**}Companies with FLAG-related emissions that total more than 20% of overall (gross) emissions across scopes.

^{***}The use of FLAG commodity pathways for processing or demand companies implies target recalculation once FLAG version 2.0 is released, as demand-side levers will be reassessed (see more in section 3.1.4).

3 OVERALL GUIDANCE ON SCIENCE BASED TARGET SETTING FOR FLAG

After a company has determined whether to set a target and what the target should encompass (section 2), FLAG targets can be set. Section 3 provides guidance on the main steps for setting FLAG targets, including the prerequisites associated with land-related GHG accounting (section 3.1) and the requirement to commit to no deforestation (section 3.2). Section 3.3 provides guidance on which FLAG tool should be used for target setting and step-by-step guidance on the target-setting process.

3.1 Accounting for land-related emissions

SBTs are based on the emissions calculated and reported by the company. Given the importance of this data, companies should strive to use the best and most complete data available in their GHG emissions accounting. To set a FLAG target, companies must first calculate their landrelated emissions (i.e., FLAG base-year emissions as specified in the FLAG tool and following GHG Protocol).

The two FLAG approaches available with this guidance (FLAG sector approach and FLAG commodity approach) seek to align with the upcoming GHG Protocol Land Sector and Removals Guidance (final version expected early 2023). The guidance will explain how companies should account for emissions and removals from land management, LUC, biogenic products, technological CO₂ removals and related activities in GHG inventories. A value chain approach is needed to provide corporate level accounting and reporting guidance, and will be especially valuable given the limited guidance on corporate-level AFOLU inventories to date. Moreover, the guidance applies to both upstream and downstream emissions and to both producers and consumers, primarily focusing on accounting and reporting emissions for different carbon pools: Land, geologic and product. FLAG guidance and tools will be updated as needed to align with the GHG Protocol Land Sector and Removals Guidance, once finalized, and as new and improved data become available.

Starting in April 2023, companies that fall under the relevant sector classifications and emission threshold will be required to account for FLAG-related emissions and appropriate removals/storage in alignment with the forthcoming GHG Protocol Land Sector and Removals Guidance and to include these emissions in their target boundary (FLAG-C3). While the GHG Protocol guidance is still under development, companies with land-intensive operations can still prepare for and set FLAG targets. Companies setting targets before the release of the final version may proceed with target setting using the draft version. For any accounting issues on which the GHG Protocol draft is insufficient, the following completed AFOLU accounting guidelines can be used.

Table 4. Guidance documents for calculating FLAG emissions and removals prior to release of the GHG Protocol Land Sector and Removals Guidance draft version

Publisher	Document
GHG Protocol	 Land Sector and Removals Guidance (draft published Sept 2022). Corporate Standard. Scope 3 Standard. Product Standard. Agricultural Guidance.
IPCC	 Guidelines for National GHG Inventories. 2006 Guidelines, Good Practice Guidance for LULUCF. 2019 Refinement to 2006 IPCC Guidelines. 2013 Supplement to the 2006 IPCC Guidelines for National Greenhouse Gas Inventories: Wetlands.
ISO	 ISO 14064 1:2018. ISO 14067.
Quantis	Accounting for Natural Climate Solutions Guidance.
Gold Standard	 Value Change Initiative. Value Chain (Scope 3) Interventions & Soil Organic Carbon Guidance.

Table 5 lists all the emissions and removals sources covered under the FLAG pathways.

Table 5. GHG emissions and removals covered in the FLAG pathways⁴

Land use change (LUC) emissions	 CO₂ emissions from LUC associated with deforestation and forest degradation, including conversion of natural forest to plantation following GHG Protocol definitions. CO₂ emissions from LUC associated with conversion of coastal wetlands (mangroves, seagrass and marshes), conversion/draining and burning of peatlands, and conversion of savannas and natural grasslands (sector pathway only for everything in this bullet item).
---------------------------------------	---

⁴ FLAG pathways also include two important demand-side measures: 1) Food loss and waste, and 2) diet shift, whose impacts fall across categories and so are elaborated in detail in the text of this guidance document as well as in Figure 4.

•	CH ₄ emissions	from	manure	management.
---	---------------------------	------	--------	-------------

- Enteric CH₄ emissions (sector pathway and where relevant in commodity pathways).
- CH₄ emissions from flooded soil (for lowland rice).
- Direct and indirect N₂O emissions from manure management.
- Fertilizer: Direct N₂O emissions from soil due to fertilizer application.
- Fertilizer: Indirect N₂O emissions from leaching, runoff and volatilization.
- N₂O emissions from crop residue.
- CH₄ and N₂O emissions from agricultural waste burning.
- CO₂ emissions from machinery used on-farm (commodity pathways only).
- CO₂ emissions from transport of biomass (commodity pathways only).
- CO₂ and N₂O emissions from fertilizer production.

(sector pathway only). Improved forest management (e.g., optimizing rotation lengths and biomass stocks, reduced-impact logging, improved plantations, forest fire

Forest restoration that occurs on working lands only (e.g., silvopasture)

management) (sector pathway and timber & wood fiber commodity pathway).Agroforestry: Carbon sequestration from integration of agroforestry into

agricultural and grazing lands (sector pathway only).
 Enhancing soil organic carbon: Shifting from current management to activities such as erosion control, use of larger root plants, reduced tillage, cover cropping, restoration of degraded soils (e.g., implementing integrated crop-livestock systems), and biochar amendments.

management

(non-LUC emissions)

Land

removals and storage

Carbon

Compiled from Roe et al., 2019, and Smith et al., 2016.

The list of emissions and removals included in Table 5 is not exhaustive concerning possible interventions to progress toward FLAG targets. A company's GHG inventory should take into account all land emissions/removals following the GHG Protocol guidance, even if they are not yet explicitly covered in the FLAG pathways. For example, emissions factored into the FLAG commodity pathways do not yet include all LUC categories, but use forest cover loss as a proxy for all LUC categories. However, a full corporate GHG inventory that aligns with GHG Protocol guidance must account for all LUC (meaning any LUC between classes—cropland, grassland, forest/woodland, urban/industrial, wetland/tundra) from one category to another, including conversion of natural forests to plantation forests.

FLAG pathways were modeled using the best available scientific data and are intended to enable all relevant and appropriate mitigation actions companies can implement within their operations and supply chains. FLAG is different from energy/industry mitigation in two ways. First, it includes mitigation activities that produce emission reductions and increased removals. Both emission reductions and removals are needed from this sector to align with 1.5°C pathways. Second, it includes activities that occur within corporate and commodity supply chains as well as a significant number of activities in the FLAG sector that occur outside corporate supply chains (e.g., government land management activities on protected areas or state forests, subsistence farming, and community forest management).

As is true with climate activities writ large, achieving a 1.5°C mitigation pathway in the land sector requires significant transformations beyond corporate mitigation activities, including intergovernment, national government and community-led actions, as well as significant reliance on multi-actor coalition approaches (e.g., jurisdictional approaches). These actions rely in part on an enabling environment that includes policy, legal, technology and market changes resulting from social efforts to mitigate and adapt to the climate crisis. While these macroscale systems changes are included in the assumptions of the IPCC climate change modeling that underly the FLAG pathways, corporate climate mitigation targets do not directly incentivize actions on these enabling conditions or noncorporate pathway response options. This reflects the limitations of the FLAG pathways and the SBTi's theory of change overall. As a result, response options primarily relying on these noncorporate actors (both state actors and non-state actors) are not included in the FLAG pathways. Additional details on response options in FLAG can be found in Appendix B.

Sections 3.1.1-3.1.3 describe the main categories covered in the FLAG pathways: LUC emissions, land management, and carbon removals and storage.

3.1.1 LUC emissions

LUC is a change from one land use category to another. Categories from IPCC include Forestland, Grassland, Cropland, Wetland, Settlement and Other Land. Direct LUC or dLUC can be measured, and occurs when carbon stocks decline due to a change in land use on lands a company owns or controls (scope 1) or on lands in a company's value chain (scope 3). While conversion of natural forest to plantation is not considered LUC in the IPCC Guidelines for National Greenhouse Gas Inventories (both are still classified as forestland), it is accounted for as a LUC event under the GHG Protocol guidance. The guidance aligns with the Accountability Framework Initiative in including a 20-year GHG emission allocation.

Indirect LUC or iLUC can only be estimated through consequential life cycle assessment approaches and reflects a carbon stock loss due to land conversion on lands not owned or controlled by the company or in its supply chain, induced by change in demand for products produced or sourced by the company.

iLUC is often mediated by markets or driven by policy shifts in land use that cannot be directly attributed to land use management decisions of individuals or groups (IPCC, 2006). These estimates use econometric models that make assumptions about future impacts (e.g., future yield improvement, where expansion and abandonment take place, role of climate change effects, CO₂ fertilization effects on yield) and the interactions between different input parameters (e.g., trade patterns, feed composition, the role of by-products, reference period). A common misunderstanding is that iLUC is LUC associated with animal feed or processing emissions, but this is not the case. LUC associated with animal feed is included directly in the FLAG model and should also be included in corporate inventories as dLUC or sLUC. Commodity processing emissions should be included within a company's energy/industry GHG inventory (fossil and industrial emissions for scopes 1-3).

Given the limited data and traceability in measuring the dLUC associated with commodity supply chains, particularly when these commodities yield multiple coproducts and mixed supply chains,

accounting often uses statistical LUC, or sLUC, as proxy. For example, sLUC is a measure of recent carbon stock loss due to land conversion related to specific land use within an area or jurisdiction. sLUC can serve as a proxy for dLUC, where specific sourcing lands are unknown, similar to the way emissions factors are currently used across much of scope 3 accounting. sLUC can be measured using either the "shared responsibility" approach (land area-related) or the "product specific" approach (product-related) and includes a blend of dLUC and iLUC within a geographic region. For this reason, sLUC tends to estimate higher LUC emissions than dLUC, incentivizing improved traceability and attribution. Please see Chapter 7 of the draft GHG Protocol Land Sector and Removals Guidance for more background on this metric.

LUC inclusion in the company's baseline GHG inventory and target is required through either dLUC or sLUC across scopes 1-3 (FLAG-R2). iLUC should only be included by proxy as part of sLUC. This is consistent with the GHG Protocol Land Sector and Removals draft guidance, which requires one of three land-tracking metrics (iLUC, land occupation or carbon opportunity cost) to be reported, but outside the scopes.

dLUC may be estimated quantitatively from the changes in carbon stocks from one land use to another over a 20 year assessment period (IPCC, 2006). For example, a company would estimate the carbon changes in biomass, dead organic matter and soil carbon pools over 20 years (or harvest cycle/rotation period if greater than 20 years) resulting from grassland and forest conversion to palm oil. For consistency with the methods used in the FLAG pathways, the IPCC, and the GHG Protocol Land Sector and Removals Guidance, companies must allocate emissions from LUC over 20 years (using linear discounting; see section 4.3) following the LUC event. Companies shall use the most representative available data (own data, data from suppliers or appropriate emission factors) to calculate LUC emissions.⁵

The FLAG sector pathway was developed including emissions from all types of LUC–deforestation, forest degradation, and conversion of peatlands, wetlands, savannas and grasslands (Roe et al., 2019). Deforestation accounts for 80% of LUC-related GHG emissions. Since dLUC and iLUC are "actor driven" and must be linked to a specific product or actor when working at the global, regional and national scales, LUC estimates in the FLAG models are not divided into dLUC and iLUC but are all included as total LUC.

The commodity intensity pathways focus on deforestation only as the major contributor to GHG emissions using the sLUC calculation approach, which includes both dLUC and iLUC driven by that commodity expansion (see Methods Addendum, section 3.1.4). We focused on deforestation, as it is the largest contributor, and estimates of other LUC events by commodity and at the regional scale would be a significant undertaking and beyond the scope of this project (see <u>Table</u> 8).

⁵ Actual data demonstrating LUC emissions resulting from changes in land use (e.g., degraded land to agriculture) can be used by companies if the data are reported from reliable, company-specific GHG accounting (e.g., ground-based measurements or satellite imagery).

3.1.2 Land management (non-LUC emissions)

Companies are required to account for land management emissions (alongside LUC CO_2 emissions) and include them in their inventory and target boundary. These emissions include all land-related emissions except those already included in LUC. They constitute all net biogenic CO_2 emissions related to land management impacts within a given land use, as well as other anthropogenic GHGs from management of agriculture systems: Organic and inorganic inputs or outputs from agriculture that release significant amounts of N_2O and CH_4 to the atmosphere (see Table 5).

Fossil-based emissions such as CO₂ emissions from machinery (e.g., tractors, feller-bunchers, irrigation pumps) and energy emissions embedded in fertilizer inputs are not technically "land-based emissions." But they may be integrated into companies' FLAG emissions accounting and target boundary following common practice in land emissions accounting and available inventory data. They may alternatively be included in a energy/industry target, but not double counted across FLAG and energy/industry targets. For example, emissions associated with fertilizer production are included in all FLAG pathways, but due to differences in data sources, emissions from machinery used on farms and emissions from transport of biomass are currently included in the agricultural commodity pathways but not in the sector pathway or timber & wood fiber pathway.

FLAG pathways are not appropriate for fertilizer companies' direct fertilizer production emissions. Specific pathways for the chemical sector, including fertilizer production, are currently under development in the SBTi framework (expected to be completed by the end of 2023). In the meantime, companies are encouraged to use SBTi cross-sector methods. For example, fertilizer companies may use FLAG pathways to account for their scope 3, category 11 Use Phase targets. SBTi FLAG will undertake the necessary updates to align with future developments on the SBTi chemical sector's work as needed.

3.1.3 Demand-side mitigation levers

In addition to the mitigation measures introduced across emissions and removals listed in <u>Table 5</u> (LUC, land management, and carbon removals and storage), FLAG includes two mitigation opportunities associated with demand-side activities: diet shift and reduction of food loss and waste (see details in section 4). Diet shift and reduction of food loss and waste are included explicitly in the sector pathway based on data from Roe et al. (2019) (see <u>Table 8</u>). As these demand-side activities are included in the sector pathway, it is most appropriate for demand-side companies to use the sector pathway for setting absolute targets to ensure proper incentives are aligned.

The methodological approach is different for the commodity intensity pathways. Assumptions on future diets are included implicitly in the commodity pathways, as data was used from SSP2 model parameterization. Additionally, all emissions from deforestation are assigned to the commodity pathways, where there is significant overlap with the demand-side source reduction strategies triggered by diet shift and food loss/waste reductions. However, these pathways were not explicitly designed to address demand-side mitigation and are most appropriate for supply- or

production-side actors. The intensity pathways will be reviewed for inclusion of demand-side actions in the next update of the FLAG version 2.0 guidance.

The SBTi is reviewing the use and applicability of intensity targets as part of a broader technical review and also developing more guidance on delineating demand- and supply-side actors. These results will be included in FLAG updates for version 2.0. Companies considered demand side that set their FLAG targets using commodity intensity pathways from FLAG version 1.0 would need to supplement targets with demand-side mitigation targets within 12 months of FLAG version 2.0, which may be before the standard five-year review cycle. Companies considered supply side would not need to supplement targets except by following the usual SBTi criteria and five-year review cycle.

For this reason, we recommend that companies considered demand side use the FLAG version 1.0 sector pathway to set targets, and companies considered supply side use the commodity intensity pathways and/or sector pathways to develop their targets.

Use the following guidelines to define supply- and demand-side actors within the FLAG value chains:

- Companies with the majority of FLAG emissions in scope 3 of their inventory are generally considered demand companies.
- Companies who are selling directly to end-use customers or governments are generally considered demand companies.
- Companies with significant business activities categorized as consumer product goods are generally considered demand companies.
- Companies with significant FLAG emissions in scope 1 are generally considered supply companies.
- Companies whose primary business activity is agricultural or forestry commodity production are generally considered supply-side companies.
- For companies that engage in business-to-business transactions post-production (e.g., commodity aggregation and trading, transport and processing) or vertically integrated companies, the delineation is less clear. Therefore, for FLAG version 1.0, the SBTi recommends that these companies use the FLAG sector pathway as a precautionary approach while waiting for FLAG version 2.0 to address demand-side levels more appropriately in the commodity intensity pathways.

3.1.4 Carbon removals and storage

The GHG Protocol Land Sector and Removals Guidance defines net biogenic CO₂ emissions as net land carbon stock decreases and net biogenic CO₂ removals as net land carbon stock increases where carbon is stored for a period of time and that meet certain reporting criteria (WRI,

2022). Biogenic removals are usually associated with one or more of the following carbon pools: Biomass (above and below ground), dead organic matter (dead wood and litter) and soil organic matter.

In FLAG target development, emissions and removals must be reported separately. The overarching FLAG target may net emissions and removals because in an inventory accounting approach, changes may be accounted for as emissions or removals depending on the starting point. Removals may only be included in FLAG targets when the appropriate requirements are met, following the GHG Protocol Land Sector and Removals Guidance. Removals may not be used to meet any other energy/industry targets under the SBTi. For example, removals from soil carbon may be included in a FLAG target but would have no impact on a energy/industry target. Please note that no company can purchase offsets to meet its near-term FLAG or energy/industry target. Only removals on land owned or operated by a company or within a company's supply chain can be included in FLAG pathways and count toward achieving a FLAG target.

In accordance with the GHG Protocol Land Sector and Removals Guidance, companies should only include CO₂ removals with ongoing storage and monitoring (e.g., forest restoration, agricultural soil carbon)⁶ in net GHG targets, since only removals with ongoing storage help reduce the cumulative global emissions that drive climate change. Further details on the specifications of ongoing storage will be elaborated based on the GHG Protocol; in the meantime, companies should refer to the GHG Protocol Land Sector and Removals Guidance draft.

Reforestation and forest/woody vegetation restoration that occur on working lands (e.g., silvopasture, riparian planting/corridors, biodiversity bridges) are included in the FLAG sector target. Conversely, reforestation and forest restoration that occur outside working lands are excluded from targets because these efforts are outside company supply chains and thus outside their immediate influence.⁷ Models will be updated as needed to align with GHG Protocol guidance on this topic.

Following current GHG Protocol accounting guidance, product carbon storage is not included in FLAG targets or FLAG pathway development. This will be reviewed if new direction is issued by the GHG Protocol. SBTi FLAG addresses removals in coordination with the GHG Protocol Land Sector and Removals Guidance with particular attention to in-scope removals for land-intensive sectors but does not include removals that are not part of a FLAG target (e.g., carbon offsets projects) or are outside the FLAG sector (e.g., direct air capture or other technological removals).

3.1.5 Bioenergy emissions and removals from feedstock production

FLAG targets apply to all land-related emissions and removals in a company's supply chain except emissions and removals related to bioenergy. See the SBTi <u>Criteria and Recommendations document</u> for bioenergy emissions reporting and target setting.

⁶ All removals must follow the GHG Protocol Land Sector and Removals Guidance, including requirements related to permanence.

⁷ See <u>SBTi FAQ on beyond value chain mitigation</u> for further information on mitigation outside a company's supply chain.

Bioenergy emissions and removals are currently not included in FLAG targets for several reasons. First, the bioenergy criterion predated the FLAG project and is already in use by many companies. Second, many companies with bioenergy emissions (and removals) are not in the land sector but follow transportation, aviation or other SBTi guidance. If bioenergy were included in FLAG targets, these companies would be obliged to set separate FLAG targets to account for removals. It is not yet clear that the best approach to covering these emissions is for all such companies to set FLAG targets; the SBTi will make updates as needed.

Differences between FLAG targets and bioenergy accounting and target setting

FLAG targets apply to companies with significant FLAG-related emissions in their value chain, whereas the SBTi bioenergy criterion applies to all companies with emissions related to bioenergy production or use. All companies reporting on bioenergy, including those setting FLAG targets, account for it using the bioenergy criterion (C10 V5). Companies setting FLAG targets do not account for bioenergy emissions under FLAG but use the bioenergy criterion.

FLAG accounting and the SBTi bioenergy criterion also differ in their accounting and system boundaries: the bioenergy criterion includes emissions from the entire bioenergy life cycle (processing, distribution, etc.) while FLAG targets include land-related emissions and removals only (to farm gate), and exclude processing emissions.

Finally, no-deforestation commitments are required for companies setting a FLAG target, but are not required under the bioenergy criterion. Instead, the SBTi recommends that companies using or producing biofuel for transport support their GHG accounting with biofuel certifications.

3.1.6 Data quality

Companies setting FLAG targets should follow data quality guidelines provided by the GHG Protocol Land Sector and Removals Guidance. Additional guidance on data quality issues for scope 3 emissions is provided in Chapter 7 of the GHG Protocol Value Chain (Scope 3) Standard.

In developing their annual inventories, companies must use data that is the most granular and representative of the actual FLAG-related emissions. Companies should collect high-quality data from suppliers and other value chain partners for scope 3 activities deemed most relevant and/or strategically targeted for GHG reductions.

The embedded decarbonization approach in the FLAG sector pathway is global but the commodity approaches are regional (see this document, section 4), meaning the tool provides regional breakdowns for the commodity pathways but not for the sector pathway. Companies using the commodity pathways must use regional-level data, unless the global pathway is more ambitious than the sum of a company's regional pathways.

Default activity data is acceptable but is less accurate and limits a company's ability to track performance and progress toward targets. The source and potential uncertainty of the adopted default data should therefore be clearly disclosed.

Companies can have targets in place while continuing to improve their reporting through collaboration with suppliers. Any adjustments to accounting methods should be disclosed and implemented in accordance with the GHG Protocol Corporate and Value Chain Standards. Any impact of those adjustments on the company's targets should be assessed in line with SBTi criteria and recommendations, which call for target recalculation when major changes in inventories occur.

3.2 No-deforestation commitments

In addition to the GHG accounting of land-related GHG emissions, the SBTi requires inclusion of no-deforestation commitments in the target-setting and validation process (FLAG-C4). Reducing emissions from deforestation is one of the highest priorities across FLAG decarbonization pathways; its importance is reflected by the hundreds of companies participating in no-deforestation commitments across the New York Declaration on Forests, the Consumer Goods Forum Pledge and others. Companies setting FLAG targets are required to publicly commit to no deforestation covering all emissions, not limited to the 67% emissions coverage requirement under scope 3.

Commitment language will be posted on the SBTi website, along with the SBT language, and should take the following form:

"[Company X] commits to no deforestation across its primary deforestation-linked commodities, with a target date of [no later than December 31, 2025]."

For this target language, no-deforestation target date refers to the date by which a company (or other entity) intends to have fully implemented its commitment or policy. The most critical deforestation-linked commodities are beef, palm oil, soy, cocoa, and timber & wood fiber (Curtis et al., 2018), among others; not every commodity is relevant to every company. Each company should consider the most relevant deforestation-linked commodities within their operations and supply chains and prioritize those first, while eventually halting all deforestation in their supply chain. Companies should also set a cutoff date (no later than 2020), which is the date after which deforestation is counted in a company's supply chain for the purposes of the deforestation commitment. Companies should meet their no-deforestation targets using the AFi guidance on deforestation and conversion of other natural ecosystems (FLAG-R3). The cutoff date associated with deforestation commitment compliance is separate from the GHG accounting requirement to include any LUC emissions from the past 20 years.

SBTi recommends that companies set no-conversion and no-peat-burning commitments across their value chains. While not a requirement, it would be difficult for a company to achieve its FLAG target without stopping these activities within its value chain. Within the FLAG sector pathway, emissions reductions from land conversion and peat-burning are included alongside all emissions

related to deforestation.⁸ For this reason, companies are recommended to meet their no-conversion and no-peat-burning commitments as soon as possible.

The specific no-deforestation policy requirement should not be confused with the inclusion of LUC emissions associated with deforestation and conversion in the FLAG target pathways. LUC emissions are included in the FLAG target pathways and must be incorporated in company target setting (section 3.1.1). In line with best practice in GHG accounting, LUC emissions are included in corporate inventories using a 20-year allocation of the emissions following the LUC event (see section 4.3 for details).

3.3 Practical steps to set a FLAG target

Because energy/industry (non-FLAG) targets do not include removals and FLAG targets can include certain biogenic removals, companies that meet the criteria to set FLAG targets (FLAG-C1) are required to keep FLAG and energy/industry (non-FLAG) targets and accounting separate (FLAG-C5). Removals are included in FLAG targets because they account for around 50% of the global land-related mitigation opportunity. Of course, SBTs aligned with the Paris Agreement also require significant reductions in emissions from energy/industry (non-FLAG), so FLAG and energy/industry targets are kept separate to ensure preservation of emissions reductions in SBTs from other sectors.

FLAG targets are calculated using the FLAG sector approach (sector-specific absolute reduction) or the FLAG commodity approach (sector-specific intensity convergence)⁹ (see more on the methods in the FLAG Methods Addendum). Intensity pathways are available for 11 commodities: Beef, chicken, dairy, leather, maize, palm oil, pork, rice, soy, wheat, and timber & wood fiber. FLAG targets can be expressed on an absolute basis (tCO₂e) or intensity basis (for commodity pathways only, e.g., tCO₂e/t of fresh weight/m³ solid under bark). For companies using the commodity- or intensity-based pathways, no targets are permitted that increase absolute emissions in the target year compared to emissions in the base year. The FLAG tool produces a warning message for intensity targets that would increase absolute emissions. In these cases, companies must model their targets using the FLAG sector approach instead.

⁸ In the FLAG commodity pathways, only deforestation is included, as a proxy for all types of LUC, because adequate data to globally and regionally characterize mitigation of each type of LUC were not available for the models used. Additional data to characterize all LUC by commodity is one of the items FLAG is following for future improvements to the models.

⁹ The sector-specific intensity convergence method is intended to help companies in homogenous sectors (that can be described with a physical indicator) to align their emissions reduction targets with a 1.5°C-aligned pathway. These sectors include energy supply sectors, transport sectors, industry sectors including cement and steel, the buildings sector, and sectors with significant land-based emissions. Intensity targets are also important for smaller, rapidly growing companies, since they take into account production growth. However, about 80% of companies setting SBTs use the absolute reduction method. In some cases, the SBTi allows companies to use economic intensity methods for scope 3 targets, but economic intensity targets have some clear disadvantages, so their usage is more restricted.

Both the FLAG sector and commodity approaches are consistent with scenarios that limit global temperature increase to 1.5°C. Target classification (1.5°C or well below 2°C) for companies with FLAG targets will be determined based on the ambition of their energy/industry target (FLAG-C6).

The following subsections describe the steps companies setting FLAG targets need to undertake, from choosing the appropriate FLAG approach to communicating and reviewing the FLAG target.10

3.3.1 Choosing the appropriate pathway for FLAG target setting

The approaches for a company's FLAG target depend on the sectors in which the company operates and/or the scope of agricultural commodities in the company's supply chain (see Table 6).

Table 6. Typology of FLAG approaches and users

Rice.

Soy.

Wheat.

Timber & wood fiber.

Approach	Users	
FLAG Sector Approach	Companies with diversified land-intensive activities in their supply chain; companies in midstream and downstream sectors.*	
Calculate targets for diversified FLAG emissions	Supply-side companies with land-based emissions that are not covered by the commodity approach (e.g., cocoa, coffee, rubber) or with emissions associated with a commodity included in the commodity approach but where emissions from the commodity in question are less than 10% of the company's overall FLAG emissions.	
FLAG Commodity Approach		
Calculate targets for FLAG commodity-specific emissions Beef. Chicken. Dairy. Leather. Maize.	Upstream companies with emissions associated with one or more of the available agricultural commodity pathways (except timber & wood fiber) that account for 10%** or more of a company's total (gross) FLAG emission for each of those commodities <i>may</i> use the commodity pathway for that commodity (but are not required to do so).	
Palm oil.Pork.	Companies in the forest products sector or with emissions related to timber & wood fiber that account for 10% or more of their total	

*Companies in processing and demand-side sectors may also use commodity pathways under the same conditions described for supply-side companies but are recommended to use the sector pathways because of demand-side levers not fully addressed in this version of the commodity pathways (see section 3.1.3).

for timber & wood fiber.

(gross) FLAG emissions are required to use the commodity pathway

¹⁰ 1.5°C is the temperature target available for all FLAG pathways. Commodity pathways were originally developed for 2°C, but in extensive consultation were determined applicable for 1.5°C because mitigation associated with agriculture is broadly consistent between the 1.5°C and 2°C scenarios.

**This 10% threshold is set so that targets do not become unnecessarily complex but rather the larger fraction of emissions is addressed.

Companies may use both FLAG sector and commodity approaches; a single company may have one or more commodities for which the commodity approach is suitable and other FLAG emissions for which the FLAG sector approach is appropriate. Companies are encouraged to aggregate commodity and sector approaches into a combined FLAG target using the FLAG target aggregator tool.

Commodity approach and sub-global pathways

Intensity targets must be set using regional data, as emissions intensity varies significantly between sourcing regions. Companies with emissions associated with available agricultural commodity pathways (except timber & wood fiber) that account for 10% or more of their total (gross) FLAG emissions (across all scopes and per commodity) may use the commodity pathway for those commodities (FLAG-C7).

Companies within the forest products sector or with emissions related to timber & wood fiber accounting for 10% or more of their FLAG emissions (gross) are required to use the commodity pathway for timber & wood fiber available in the commodity approach (FLAG-C8).

The FLAG tool provides both sub-global and global pathways for each commodity. Companies should use sub-global pathways based on their commodity sourcing by region. However, in cases where the global pathway is more ambitious than a company's regional pathway, a company may opt to use the global pathway if preferred (FLAG-C9). Each of the commodity pathways is specified for 26 regions of the world (see the FLAG tool for additional details).

Companies that do not have adequate regional data to set a regionalized commodity target should use the sector approach instead of the commodity approach (see Figure 2 below).




Figure 2. Applicability of FLAG regional commodity pathways

*Global commodity targets are based on world average data for each commodity, calculated from the regionalized data in the FLAG tool.

3.3.2 Definition of a target period

When using the FLAG tool, the users must provide two data items related to the target period: The FLAG base year and the FLAG target year.

FLAG base year

Base years are used to calculate the ambition of most types of targets and to track progress against all targets. The earliest base year the company can select in the current version of the FLAG tool is 2015. The SBTi recommends that companies choose a base year representative of the company's activity. For companies using the FLAG sector approach for a base year prior to 2018 (the first year for which data are available in the FLAG sector approach), linear backcasting of the FLAG sector approach will be required. As of version 5 of the overall SBTi Criteria and Recommendations (C14), reporting on most-recent-year GHG inventory is required when the selected target base year is earlier than 2019 (for targets submitted in 2022).

FLAG target year

All new near-term SBTs must cover a minimum of five years and a maximum of ten years from the date the target is submitted to the SBTi for validation (FLAG-C10). SBTi recommends that companies keep the same target time frame across FLAG and energy/industry targets when possible. The SBTi criteria on forward-looking ambition also apply to FLAG targets. For the absolute-based portion of a FLAG target, minimum forward-looking ambition aligns with reducing emissions 72% by 2050 from base-year levels, using a linear reduction from the most recent year to 2050. For the intensity-based portion of a FLAG target, forward-looking ambition is met following SBTi guidance in the Target Validation Protocol.

Net-Zero Targets

Companies are encouraged to develop long-term net-zero targets in addition to near-term targets (i.e., long-term SBTs in line with SBTi Net-Zero criteria) (FLAG-R4). For more details on longterm FLAG targets, see the Net-Zero Standard and tool. Companies wishing to commit to netzero targets must also set near-term FLAG targets. Companies that meet FLAG criteria as per FLAG-C1 and that wish to set net-zero targets must also include FLAG near-term (five-ten years from submission) targets from April 2023 onward.

3.3.3 Entering data in the FLAG tool

FLAG base-year emissions are expressed in tonnes CO₂e using GWP 100, as is standard across all SBTi targets and methods. Base-year emissions must include the following (see section 3.1):

Land management/land use emissions.

- LUC emissions (dLUC/sLUC).
- · Removals.

Companies are not required to include iLUCs in their GHG inventories, but the SBTi recommends tracking iLUC following the GHG Protocol Land Sector and Removals Guidance on land tracking metrics. The models considered in both FLAG tools capture all LUC emissions in the target development (see more in section 4). Table 7 summarizes data needs in addition to each FLAG approach's base year, target year and base-year emissions.

Table 7. Data needs for FLAG target development

DATA	FLAG SECTOR PATHWAY	FLAG COMMODITY PATHWAYS
FLAG base year		
FLAG target year*	required	required
FLAG base-year emissions and removals, reported separately (tCO ₂ e)**		
Commodity production per commodity in base year (e.g., tonne of fresh weight, FCPM milk, tonne of crude palm, m³ solid wood under bark)	N.A.	
Production target year (definition)		
Disaggregated LUC emissions from other FLAG (non-LUC) emissions (tCO ₂ e)		optional

^{*}The target year must cover five-ten years from the date of the target submission (section 3.2.3).

In the FLAG sector approach, the FLAG base-year emissions are the total land-related activity emissions (in tonnes of CO2e) in a company's full GHG inventory for the selected FLAG base vear.

In the FLAG commodity approach, FLAG base-year emissions are the land-related emissions associated with the company's commodity production or procurement in the selected FLAG base year. The FLAG commodity approach also covers LUC (direct and indirect) related to deforestation and removals. These removals are subtracted from the total commodity emissions to provide a net emission value per year in the unit of tonnes of CO₂e. LUC and non-LUC (land management) emissions may be input separately with the FLAG commodity approach but not with the FLAG sector approach. In the commodity approach, base-year emissions may be entered

^{**}GHG accounting of land-related emissions in the FLAG base year, including LUC and other FLAG-related emissions. LUC emissions must include at least direct emissions from LUC; it is also recommended to include indirect emissions from LUC.

either as a total emissions value or as separate values for LUC and non-LUC emissions. If companies enter only total emissions, a default value for LUC emissions is assigned.

Any emissions included in commodity pathways should not also be included in the sector pathway, as the commodity pathways and sector pathway are usually summed for a total FLAG target.

3.3.4 FLAG target validation

To begin the target validation process, companies must submit FLAG-specific documentation. This submission requires disclosure of emissions per scope in the base year, activity figures, and other data necessary to perform the validation. Although companies are required to set net FLAG targets-land-related emissions combined with removals-in the validation process, companies must report emissions reductions and removals accounting separately (FLAG-C11) so the SBTi can focus on reducing cumulative emissions to the atmosphere while separately increasing CO₂ removals. In the target validation process, companies using aggregated FLAG sector (absolute contraction) and FLAG commodity (intensity) approaches are required to provide the calculation details separately for each FLAG pathway included in target development. The aggregated FLAG target is published on the SBTi website and made public. However, for transparency, companies must report in their SBTi submission on sub-targets in addition to the overarching, aggregated target (FLAG-C12), and it is recommended that they meet sub-targets individually as well, unless that impedes demand-side levers. For ease of reporting, companies will submit a filled-in copy of the FLAG tool along with the target submissions form.

3.3.5 Communication of the FLAG target

Companies must communicate their FLAG target by indicating the base year and target year selected, and the percentage reduction (either absolute or intensity) in the target period (see Box <u>1</u>).

Companies setting a FLAG target for multiple commodity categories or using a combination of the sector pathway and the commodity pathways can use the FLAG target aggregator to aggregate results for a single GHG reduction target (FLAG-R5). The FLAG commodity approach provides a function to translate intensity targets into absolute numbers, which may be combined with absolute targets to generate a single FLAG target.

However, for transparency in the target validation process, companies must report on sub-targets and provide the calculation details separately for each pathway included in target development. See details in the above section.

BOX 1. FLAG target language should take the following form:

Absolute target (FLAG sector approach):

"[Company name] commits to reduce absolute [enter scopes] FLAG GHG emissions [percent reduction]% by [target year] from a [base year] base year. Target includes FLAG emissions and removals."

Intensity target (FLAG commodity approach):

"[Company name] commits to reduce [enter scopes] FLAG GHG emissions [percent reduction] % per [unit] by [target year] from a [base year] base year. Target includes FLAG emissions and removals. [This may include multiple % targets per commodity, but cannot be averaged across commodities, as the products are different.]"

3.3.6 FLAG target review process and target recalculation

The SBTi regularly updates its criteria and methods to reflect current best practices and the latest science. Adjustments can include changes to the abatement pathways embedded in the tool, which need to reflect model improvements and changes in the remaining carbon budget available as the world strives to mitigate GHG emissions across all sectors of the economy. For further details, please refer to the terms of use and disclaimer in the FLAG tool. In general, the criteria review process happens every two years.

The SBTi recommends that companies publicly report a company-wide GHG emissions inventory and progress against published targets on an annual basis. At a minimum, targets should be reassessed every five years. Furthermore, to ensure consistent performance tracking over time, targets must be recalculated to reflect any significant changes that would compromise the target's relevance and consistency. Because demand-side levers will be reassessed in the next version of this guidance, demand-side companies choosing to use commodity intensity pathways to calculate FLAG targets prior to the release of FLAG version 2.0 will need to proceed with target recalculation within 12 months of the next version's release. Supply side companies and companies using only the absolute reduction sector pathway for target-setting in FLAG 1.0 do not need to undertake this recalculation.

Two different timelines apply for companies that meet the FLAG criteria (as per FLAG-C1) and that already have validated SBTs, depending on when the company had its existing near-term SBT validated (before or after January 1, 2020):

- FLAG companies with near-term targets validated before January 1, 2020 will need FLAG targets by the end of 2023.
- FLAG companies with near-term targets validated after January 1, 2020 will need FLAG targets by the end of 2024.




Figure 3. Expected evolution of FLAG in target recalculation

As per SBTi recommendation, companies that include FLAG targets in target recalculation prior to the final release of GHG Protocol Land Sector and Removals Guidance should recalculate FLAG targets as needed when the final guidance is released.

Companies should notify the SBTi of any significant changes and undertake target recalculation when triggered by significant changes, as specified in the SBTi Criteria and Recommendations.

3.3.7 Consideration for implementation actions to meet FLAG target

The scope of this FLAG guidance and SBTi is restricted to how companies should set an appropriate SBT, and the guidance articulates what mitigation potentials are included in the development of the target pathways. SBTi does not prescribe which specific mitigation actions a company should undertake, as long as GHG accounting is done in accordance with the GHG Protocol standards. Additionally, given the focus on target setting, SBTi does not mandate how those mitigation actions should be implemented. However, SBTi supports a "just transition," and there are a number of important considerations that should be followed by companies implementing mitigation actions to meet their SBTi FLAG targets. We highlight some considerations here and encourage companies to review best practices in achieving broad social and environmental outcomes, including necessary safeguards for all activities-particularly those including smallholders.

Companies should ensure climate equity and acknowledge carbon rights for farmers and landholders, including fair compensation for mitigation efforts. Companies should practice the principles of free, prior and informed consent (FPIC) for all mitigation implementation actions. Companies should implement climate mitigation measures aligned with preventing the loss of nature and designed to acknowledge benefits for both climate and nature. Additional best practices for appropriate mitigation in the land sector, including adequate compensation,

practicing FPIC and parallel support for nature, may apply. Companies should take care not to exacerbate underlying inequities in food and forest commodity systems through their implementation (e.g., bargaining power dynamics, gender inequities, forced labor and other human rights abuses, access to capital and information).

Two important issues are highlighted below-shifting sourcing, and carbon rights and transparency. For information on considerations for implementing carbon mitigation projects in ways that deliver for people and nature, and on potential negative impacts of ignoring these factors, please see:

"A Blueprint for high-quality interventions that work for people, nature and climate" https://wwfint.awsassets.panda.org/downloads/wwf___beyond_carbon_credits_blueprint.pdf

"Tightening the Net: Net zero climate targets – implications for land and food equity" https://policy-practice.oxfam.org/resources/tightening-the-net-net-zero-climate-targetsimplications-for-land-and-food-equ-621205/

Engaging without Shifting Sourcing to Low-Carbon Geographies

Despite the GHG differences in the regional commodity pathways, target ambition results should not, in most circumstances, be used to shift supply away from "bad" areas to "good" areas without prior engagement. This is particularly true when a buyer has significant leverage via volume of purchase or its relationship with suppliers and producers. Agricultural production is a way of life and is essential to human well-being. The environmental impacts of agricultural and forestry production must be addressed, as reflected in the FLAG pathways, but this means working with farmers, foresters, local civil society and governments to find and implement solutions rather than shifting supply away before engaging. Shifting existing supply chains away from areas with issues without prior engagement can risk leakage-where issues emerge in the areas that demand and production has shifted to. Changes in demand-or buyer-led changes in consumption patternsare certainly part of the solution, but they must be coupled with engagement and collaboration to bring about the fundamental changes needed to ensure sustainability. In addition, working with

suppliers, farmers and communities (with appropriate representatives and stakeholders) while ensuring FPIC can help meet both environmental and social targets for your business.

Box 2. Transparency and Agency in the Carbon Rights of Producers (source: https://acorn.rabobank.com)

Carbon is a commodity on its own: The carbon a farmer reduces and sequesters can be traded as a product independently from the produce the farmer grows. Carbon payments for ecosystem services can never be used to supplement payments for produce (like Fairtrade or organic labels). Farmers should always receive a fair price for their produce regardless of carbon emitted or sequestered.

Contracts about carbon can only be signed with informed consent: Any farmer/land holder who signs a contract agreeing to sell their carbon to one company needs to be fully informed about the alternative routes to monetize their carbon removals and reductions. Companies need to explain the carbon market, the current prices and the projection of the prices for the duration of the contract (see McKinsey for example).

There should be no double claiming of carbon farming interventions: the company should be able to demonstrate that the farmers and their surrounding area (the geographical area a company can 'claim' removals from under the SBTi guidance, this goes beyond farm level) haven't participated in any of the following:

- (Voluntary) carbon credit schemes.
- Governmental carbon reduction schemes.
- Other supply chain decarbonizing schemes, with the same farmers counted in another company's scope 3.

Yearly causality should be proven: the carbon farming intervention requires extra labor, investment and costs. Each year the company should show that they have contributed to the upkeep and continuation of the carbon farming intervention, through payments for ecosystem services. The company should ensure no double claiming of causality is done.

Transparency in payments to farmers: The exact yearly pay-out for ecosystem services in cash to farmers should be transparently shown by the company, to prove their causality and to show other companies sourcing from the same region that the carbon removals and reductions have already been claimed. Transparency also ensures fair payments to farmers.

The payments for carbon correlate with carbon prices: If a producing country has its own domestic carbon market, that carbon price will be used as a benchmark for the value of the work carbon farmers deliver. Companies will pay the farmers what they would otherwise be paid through the carbon market. If no domestic carbon market is present, the carbon price of the voluntary carbon market for nature-based ex post removal credits can be used as a benchmark.

4 METHODOLOGICAL CHOICES

This section provides an overview of the methodological choices covering the FLAG tool's development. In addition, it explains the mitigation measures covered in the FLAG pathways and how they align with the latest climate science limiting global temperature rise to 1.5°C above preindustrial levels. The FLAG Methods Addendum provides additional detail.

4.1 Two approaches to set FLAG targets

SBTi FLAG combines two mitigation approaches for determining the FLAG target:

- i) A FLAG sector approach (absolute contraction) for companies with diversified emissions or that are further from direct production.
- ii) A FLAG commodity approach (physical intensity convergence), including 11 specific FLAG commodities for companies with focused commodity emissions.

Table 8 below provides an overview of the mitigation actions covered to 2050 in both approaches, and the following subsections describe each.

Table 8. Mitigation measures and potential global mitigation per year covered in the FLAG pathways in 2050 (GtCO2e/yr)

		Commodity pathways		
Mitigation measures	FLAG sector pathway		Timber & wood fiber	
	(Global GtCO₂e/yr of mitigation in 2050,* based on Roe et al., 2019).	All commodities except timber & wood fiber	(Based on Roe et al., Food and Agriculture Organization of the United Nations (FAO), the Global	
		(Based on PBL and Roe et al., 2019).	Forest Products Model (GFPM), and additional scientific literature. See Methods Addendum.)	
Land use change (LUC)	4.6 GtCO ₂ e/yr LUC: 3.6 from deforestation; 0.7 from conversion of peatlands; 0.3 from coastal wetlands.	3.6 GtCO ₂ e/yr of LUC associated with deforestation are allocated by sector and region based on production, intensity and, for livestock, feed basket LUC impacts.**	Varies by region. Only forestland is considered in this pathway, so there is no LUC per IPCC definition. Conversion from natural forest to plantation forest is accounted for similarly to LUC, with a 20-year emission allocation, as in the GHG Protocol.	
Improved agriculture	1.0 GtCO ₂ e/yr reduction from improved agriculture.	Varies by commodity and region. See Smith et al., 2016 for the full list of mitigation measures.	NA	

Shift diets	0.9 GtCO ₂ e/yr reduction from diet shift.	Future diets are included in the SSP2 assumptions used in the commodity pathway modeling. Future revisions will reassess more defined attribution of diet shift.	NA
Reduce food loss and waste	0.9 GtCO ₂ e/yr reduction from food loss and waste at the retail and customer levels, and along supply chains, incl. post-harvest losses.	Not included explicitly in this version, but food loss and waste may still be undertaken as a mitigation activity.	N.A.
Restore forests	1.69 GtCO ₂ e/yr Restoring forests in corporate supply chains. (Total Roe et al., 2019 potential is 3.6 GtCO ₂ e/yr, reduced to reflect estimated share in supply chain.)***	Not included in this version. Forest restoration can be counted against a sector pathway target if undertaken, and falls in the inventory boundary.	Not included in corporate timber & wood fiber pathway at this time. Additional forest removals are accounted for instead under improved sustainable forest management in the row below.
Improve sustainable forest mgmt. and agroforestry	1.6 GtCO ₂ e/yr reduction from improved forest management and agroforestry.	Improved forest management is not included because it is not relevant for agricultural commodity pathways. Agroforestry can be counted against a sector pathway target.	Varies by region. Total removals 2020-2050 are 30 GtCO ₂ e of additional removals (Roe et al., 2019), in addition to 3.3 GtCO ₂ e/yr of baseline removals (Harris et al., 2021). Allocated based on production and removals potential. See FLAG Methods Addendum for additional details.
Enhance agriculture soil carbon	1.3 GtCO ₂ e/yr: 0.8 from ag soil carbon enhancement and 0.5 from biochar.	Varies by commodity and region; 1.3 Gt CO₂e/yr represents the total carbon removal potential of global agricultural production, which is subdivided across commodities and regions based on production and potential.	N.A. Removals included under "Improve sustainable forest management" above.

^{*}See annual data from 2020 to 2050 in the FLAG tool.
**Commodity-level data for conversion of peatlands and coastal wetlands were not available, but these emissions should still be included in company inventories with mitigation represented by deforestation mitigation rates until better data are available.

^{***}See Guidance section 4.1.1 for details.

4.1.1. FLAG sector pathway

The FLAG sector pathway is based on the review paper Roe et al. (2019), which aligns top-down integrated assessment models of net CO₂, CH₄ and N₂O global emissions trajectories for AFOLU with bottom-up studies of the range of technical, economic and sustainable mitigation potential of land-based activities to categorize mitigation into seven priority mitigation measures (wedges):

- Reduce LUC.
- Improve agriculture.
- Shift diets.
- Reduce food loss and waste.
- Restore forests.
- Improve sustainable forest management (SFM) and agroforestry.
- Enhance agriculture soil carbon.

These categories represent a viable mitigation target (sum of emission reductions and removals) for the land sector of approximately 13.9 GtCO₂e/yr in 2050.

The green wedges in Figure 4 represent potential mitigation from emission reduction measures (7.4 GtCO₂e/yr), and the blue wedges represent carbon removal measures (3.4 GtCO₂e/yr). Each wedge indicates the potential annual mitigation in 2050 (Roe et al., 2019).

Note that these estimates of relevant mitigation potential for different wedges are global and vary geographically and by company. SBTi FLAG helps companies set their overall sector-based reduction target, but companies have the flexibility to choose the most relevant mitigation options to meet their target.

Reforestation and forest/woody vegetation restoration that occurs on (or adjacent to) working lands (e.g., silvopasture, riparian planting/corridors, biodiversity bridges) are included in the FLAG sector target. However, reforestation and forest restoration occurring outside working lands are otherwise excluded from targets because these efforts are generally outside company supply chains (see Table 8). Based on the Roe et al. (2019) and Wilkinson et al. (2020) mitigation potential for silvopasture (addition of trees to working land), 47% of the restoration mitigation potential is included in the FLAG sector pathway, and 53% is excluded. This is based on 89 GtCO₂e restoration (including forests, peatlands and coastal wetlands) mitigation potential by 2050. Of that, 74.8 GtCO₂e mitigation potential is associated with forests only, and 42.3 GtCO₂e mitigation potential for silvopasture is in company supply chains (Roe et al., 2019; Wilkinson et al., 2020).

Enhance Agriculture Soil Carbon 11% Improve SFM & Agroforestry Land Use Change 13% 38% Emissions Removals Restore Forests 14% Reduce Food Loss and Improve Agriculture Waste Shift Diets 8% 8%

Figure 4. Land-based mitigation opportunities (12 GtCO₂e by 2050)

Adapted from Roe et al., 2019.

The science-based rate of mitigation in the FLAG sector pathway is 3.03%/yr. This means that the reduction rate corresponding to ten years (e.g., from base year 2020 to target year 2030) is a 30.3% reduction for a company using the FLAG sector pathway rate. All potential mitigation wedges are summed, and the reduction rate is annualized over time to calculate 3.03%. This reduction rate includes both emission reductions and removals. For further details, please see the open calculations and data in the FLAG tool.

4.1.2. FLAG commodity pathways

The commodity approach is currently available for 11 major commodity pathways: Beef, chicken, dairy, leather, maize, palm oil, pork, rice, soy, wheat, and timber & wood fiber. These 11 commodities were selected based on available data in the climate models used. The timber & wood fiber commodity was newly developed to ensure coverage of the forestry sector. Additionally, each commodity pathway is made available at a 26-region resolution to reflect the regional differences in agriculture and forestry production.

As elaborated by Smith et al. (2016), the commodity pathways have been updated to include LUC emissions associated with each commodity. These updates draw on data from Roe et al. (2019) to ensure consistency between the FLAG sector and FLAG commodity approaches; from FAO for forest and forest loss; from GLEAM (FAO, 2018) for livestock feed baskets associated with LUC; and from the World Food LCA Database (WFLDB; Nemecek et al., 2018) for regionally specific crop type and land management parameters. See FLAG Methods Addendum for additional details.

As elaborated by Smith et al. (2016), the commodity pathways have also been updated under FLAG to include removals (soil carbon, biochar and forest carbon). Finally, the timber & wood fiber pathway was developed separately using data from FAO's Forest Resources Assessment (FRA) and additional data from peer-reviewed literature (see Methods Addendum). These three major updates for FLAG target setting under the commodity pathways (incorporation of LUC, addition of removals, and elaboration of timber & wood fiber) were completed by a team from Quantis. The detailed methods for each of these additions can be found in the "Resources" section on the SBTi FLAG website.

As originally elaborated in Smith et al. (2016), the commodity pathways were designed for wellbelow 2°C pathways. However, in consultation with the initial modeling team and IPCC resources, they have been approved for use as 1.5°C pathways as well. That is, for agriculture in this time frame, the well-below 2°C and 1.5°C pathways are matched (see Roe et al., 2019 Figure 2a.).

Table 9. Summary of near-term FLAG pathways. Note: Commodity pathways and the sector pathway may be combined for an aggregated FLAG target. See the FLAG Tool and Methods Addendum for additional details.

Near-Term target pathway name	Pathway type	Units	Absolute % reduction* (%/yr 2020-2030)
FLAG Sector Approach	Absolute	tCO ₂ e	3.03
FLAG Commodity–Beef	Intensity	tCO ₂ e/t fresh wt	2.40
FLAG Commodity-Chicken*	Intensity	tCO ₂ e/t fresh wt	3.90
FLAG Commodity–Dairy	Intensity	tCO ₂ e/t fresh wt FPCM	3.10
FLAG Commodity–Leather	Intensity	tCO ₂ e/t fresh wt	2.50
FLAG Commodity–Maize*	Intensity	tCO ₂ e/t fresh wt	3.50
FLAG Commodity-Palm Oil*	Intensity	tCO₂e/t fresh wt	3.10
FLAG Commodity-Pork*	Intensity	tCO ₂ e/t fresh wt	3.30
FLAG Commodity–Rice*	Intensity	tCO ₂ e/t fresh wt	2.90
FLAG Commodity-Soy*	Intensity	tCO ₂ e/t fresh wt	3.80
FLAG Commodity–Wheat*	Intensity	tCO ₂ e/t fresh wt	3.60
Mixed Sector Pathway (non-FLAG	Absolute	tCO ₂ e	4.20**

^{*}Reduction rates listed here for intensity pathways include emissions and removals and assume starting with global average emissions intensity for 100,000 tonnes of production. The percent reduction on both an intensity and an absolute basis is shared. Intensity is calculated as tonnes of CO2e per tonne of product. Actual company targets depend on starting emissions intensity, projected company growth in production and location of production/sourcing. See FLAG tool for calculations and target-setting.

^{**}AFOLU sector is expected to decarbonize more slowly than energy/industry because continued nitrous oxide and methane emissions are more challenging to reduce in agricultural production.

The pathway for timber & wood fiber is not expressed in percentage terms because the volume of removals is much higher than the volume of emissions. Mathematically, the numerator is very small compared to the denominator, so division yields very high numbers that aren't relevant to a company's targets. Instead, targets are expressed in absolute reductions. Please see the FLAG tool for full details, including underlying data and formulas.

Table 10. Representative emission reductions and removals for timber & wood fiber

	Units	Starting emissions + removals, 2020 (tCO2e)	Target emissions + removals, 2030 (tCO2e)**	Emission intensity, 2020 (tCO2e/ m³ solid under bark)	Emission intensity, 2030 (tCO2e/ m³ solid under bark)**
Timber & wood fiber intensity target*	tCO ₂ e/m ³	5,936	-158,524	0.06	-1.59

^{*}Reduction rates listed here include emissions and removals and assume starting with global average emissions intensity for 100,000 m³ of production. Production is held constant. Intensity is calculated as tonnes of CO₂e per tonne of product. Actual targets depend on starting emissions intensity, projected company growth in production and location of production/sourcing.

4.2 Robust science-based 1.5°C aligned pathways

The FLAG sector pathway has been developed from Roe et al. (2019), 'Contribution of the Land Sector to a 1.5°C World', a review paper published in *Nature Climate Change*.

Roe et al. compiled all the available studies, including the relevant scenarios from the Shared Socioeconomic Pathway (SSP) and Integrated Assessment Modeling Consortium (IAMC) Databases, and the relevant bottom-up peer-reviewed studies, to inform an implementation road map to 2050 for land sector mitigation. Land sector mitigation includes reducing emissions from LUC and agriculture, shifting toward plant-based diets, reducing food waste, restoring forests, improving forest management and agroforestry, and enhancing soil carbon sequestration and biochar in agriculture.

This study was derived from four complementary analyses: 1) Review of 1.5°C scenarios across all sectors, 2) comparative analysis of top-down modeled pathways in the land sector, 3) bottomup assessment and synthesis of land-sector mitigation potential, and 4) a geographically explicit road map of priority mitigation actions to fulfill the 1.5°C land-sector transformation pathway by 2050, informed by the first three analyses. (For details, see the Supplementary Information from Roe et al. (2019).)

The FLAG commodity pathway models are described in Smith et al. (2016) and are developed from the IMAGE 3.0 Integrated Assessment Model.

^{**}Timber & wood fiber pathway is not calculated with % values because the primary mitigation lever is removals. Large negative (removals) values make percent calculations volatile and nonrepresentative.

Combination of up-to-date open data sources

The modeled data used in the FLAG sector pathway (Roe et al., 2019) was primarily taken from the SSP Database (Rogelj et al., 2018) and the IAMC Database 1.5°C Scenario Explorer (Huppmann et al., 2018). The authors also used individual studies of 1.5°C carbon budgets (Rockström et al., 2017; Goodwin et al., 2018; Millar et al., 2018; Schurer et al., 2018; Tokarska & Gillett, 2018; Walsh et al., 2017). Relevant data supporting the findings of Roe's study are available in the Supplementary Information (Roe et al., 2019).

The FLAG commodity pathways developed from the Smith et al. (2016) report are based on the IMAGE 3.0 Integrated Assessment Model. This model simulates global and regional environmental consequences of changes in human activities to project future GHG emissions, in this case of particular commodities. The IMAGE 3.0 model considers 26 regions globally. ¹¹ The IMAGE data regarding oil crops (soybean and palm oil) were initially combined. They have been disaggregated based on FAO data. The commodity pathways also include FAO Statistical Databases (FAOSTAT) land use data. ¹² The commodity pathway for timber & wood fiber was developed separately by Quantis using data from FAO Forest Resources Assessment (FRA) and other scientific literature for specific regional data. See the FLAG methods addendum for full details on the methods and data used in the timber & wood fiber pathway.

4.3 How is deforestation addressed?


Deforestation-related emissions represent 12% of global emissions and 50% of AFOLU emissions (Roe et al., 2019). Both FLAG approaches, for the overall land sector and for individual commodities, consider all the mitigation potential (3.6 GtCO₂e/yr) of reducing LUC emissions associated with deforestation. In addition, the FLAG sector pathway includes LUC associated with conversion of natural ecosystems (an additional 1 GtCO₂e/yr) from reduction of LUC emissions (Roe et al., 2019).

Deforestation causes GHG emissions (e.g., from biomass (belowground) and soils) that can extend beyond the year when trees are cut down. Hence, the SBTi FLAG methodological approach allocates deforestation emissions using linear discounting over 20 years following a deforestation event (see Figure 5)—a 20-year "legacy emissions factor" allocation rule is commonly accepted based on IPCC Good Practice Guidance for LULUCF (Penman et al., 2003) and is reflected in the GHG Protocol (WRI and WBCSD, 2014). Given these accounting principles and in accordance with the science, the FLAG sector and FLAG commodity models achieve zero deforestation by 2030.

¹¹ Regarding regional disaggregation of data, the commodity approach requires setting a target against a global mitigation pathway. However, SBTi FLAG has also developed individual commodity pathways for each commodity in 26 regions of the world.

¹² http://www.fao.org/faostat/en/#data

Figure 5. Deforestation and deforestation emissions pathways



Because deforestation must stop as soon as possible in alignment with the AFi guidance, the FLAG guidance introduces additional criteria for companies to set no-deforestation goals (section 3.2).

GLOSSARY

Definitions used from FAO and AFi where relevant. Others come from the SBTi Standards, Criteria and Recommendations, and GHG Protocol.

Abatement	Measures com	nanies take to	nrevent	reduce o	r eliminate sources of
Abatement	Measures com	parties take to	pieveii,	reduce 0	i cili ililiale soulces oi

GHG emissions within their value chain.

Absolute contraction Method used to calculate absolute emissions reduction targets that

requires organizations to reduce annual emissions by an amount

consistent with underlying mitigation pathways.

Agriculture, forestry and other land use (AFOLU)

Common terminology in the scientific community for what is also called the land sector and FLAG in the case of the SBTi. The AFOLU category combines the LULUCF (land use, land use change and

forestry) and agriculture sectors.

Bioenergy Energy derived from any form of biomass, such as recently living

organisms or their metabolic by-products.

Bioenergy and carbon dioxide capture and storage (BECCS)

The application of carbon dioxide capture and storage (CCS)

technology to bioenergy conversion processes.

Biogenic CO₂ emissions

CO₂ emissions resulting from the combustion or biodegradation of, or other losses from, biogenic carbon pools to the atmosphere.

Biogenic CO₂ removals

 CO_2 removals resulting from atmospheric CO_2 transferred via

biological sinks to storage in biogenic carbon pools.

Biomass Organic material both aboveground and belowground, and both

living and dead, e.g., trees, crops, grasses, tree litter and roots. Biomass includes the pool definition for above- and belowground

biomass.

Carbon stock The quantity of carbon in a "pool," meaning a reservoir or system,

which has the capacity to accumulate or release carbon.

Carbon dioxide equivalent (CO₂e)

A way to place emissions of various radiative forcing agents on a common footing by accounting for their effect on climate. It

describes, for a given mixture and amount of greenhouse gases, the amount of CO₂ that would have the same global warming ability when measured over a specified time period.

Conversion

Change of a natural ecosystem to another land use or profound change in a natural ecosystem's species composition, structure or function. Deforestation is one form of conversion (conversion of natural forests). Conversion includes severe degradation or the introduction of management practices that result in a substantial and sustained change in the ecosystem's former species composition, structure or function. Change to natural ecosystems that meets this definition is considered to be conversion regardless of its legality.

Deforestation

Loss of natural forest as a result of 1) conversion to agriculture or other non-forest land use, 2) conversion to a tree plantation, or 3) severe and sustained degradation.

Degradation

Changes within a natural ecosystem that significantly and negatively affect its species composition, structure and/or function and reduce the ecosystem's capacity to supply products, support biodiversity and/or deliver ecosystem services.

Direct land use change (dLUC)

Direct land use change (dLUC) occurs when a new land use displaces a different former land use. From the perspective of a company, dLUC is defined as a recent (previous 20 years) carbon stock loss due to land conversion directly on the area of land under consideration.

Forest

Accountability Framework initiative (AFi) defines forest as land spanning more than 0.5 hectares with trees higher than 5 meters and a canopy cover of more than 10% or trees able to reach these thresholds in situ. It does not include land that is predominantly under agricultural or other land use. Forest includes natural forests and tree plantations. For the purpose of implementing "o deforestation" supply chain commitments, the focus is on preventing the conversion of natural forests.

Forest, Land and Agriculture (FLAG)

Forest, land and agriculture (FLAG) designates the SBTi Forest Land and Agriculture project, sectors, methodologies and targets. The terms FLAG-related emissions and AFOLU emissions are used interchangeably in this document.

Forest restoration

The process of assisting the recovery of a forest (natural or managed), as well as its associated conservation values, which has been degraded or damaged but is still above 10% canopy cover.

IMAGE model

<u>IMAGE</u> is an integrated assessment model framework that simulates global and regional environmental consequences of changes in human activities.

Indirect land use change (iLUC)

Indirect land use change (iLUC) occurs outside the area of focus as a consequence of change in use or management of land within the area of focus. iLUC is often mediated by markets or driven by policy shifts in land use that cannot be directly attributed to land-use management decisions of individuals or groups. From the perspective of a company, iLUC is defined as a recent carbon stock loss (i.e., previous 20 years) due to land conversion on lands not owned or controlled by the company or in its supply chain, induced by a change in demand for products produced or sourced by the company.

Integrated assessment models (IAM)

Models that seek to combine knowledge from multiple disciplines in the form of equations and/or algorithms in order to explore complex environmental problems. As such, they describe the full chain of climate change, from production of greenhouse gases to atmospheric responses. This necessarily includes relevant links and feedbacks between socioeconomic and biophysical processes.

Intensity convergence

Method used to calculate emissions intensity targets based on the principle of converging to a sector-wide physical emissions intensity in a future year of a mitigation pathway.

Land use change (LUC)

Land use change (LUC) is a transformation from one land use category (e.g., cropland, grassland, forest/woodland, urban/industrial, wetland/tundra) to another category (e.g., transformation from natural forest to cropland).

Natural forest

A forest that is a natural ecosystem. Natural forests possess many or most of the characteristics of a forest native to the given site, including species composition, structure and ecological function. Natural forests include primary forests that have not been subject to major human impacts in recent history and regenerated (second-growth) forests that were subject to major impacts in the past (for instance by agriculture, livestock raising, tree plantations or intensive logging) but where the main causes of impact have ceased or greatly diminished and the ecosystem has recovered much of the species composition, structure and ecological function of prior or other contemporary natural ecosystems. (See Accountability Framework initiative.)

Non-LUC emissions

All emissions, excluding those related to LUC.

Reforestation Reforestation is the regrowth of forests after a temporary (<10 years)

condition with less than 10% canopy cover due to human-induced or

natural perturbations.

Scenario A description of how the future may unfold based on "if-then"

propositions. Scenarios typically include an initial socioeconomic situation and a description of the key driving forces and future changes in emissions, temperature or other climate change-related

variables.

Scope 1 emissions Emissions from operations owned or controlled by the reporting

company.

Scope 2 emissions Emissions from the generation of purchased or acquired electricity,

steam, heating or cooling consumed by the reporting company.

Scope 3 emissions All indirect emissions (not included in scope 2) that occur in the value

chain of the reporting company, including both upstream and

downstream emissions.

Statistical land use change (sLUC)

sLUC is a measure of recent carbon stock loss due to land conversion, related to a specific land use, within an area or

jurisdiction. sLUC can serve as a proxy for dLUC where specific sourcing lands are unknown, similar to how emissions factors are

used across much of scope 3 accounting.

Supply chain A supply chain is the entire system of processes and resources

required to produce and sell a product from start to finish, typically starting with raw materials and ending with the customer in

possession of the product.

Uncertainty A cognitive state of incomplete knowledge that can result from a lack

of information or from disagreement about what is known or even

knowable.

RESOURCES

What data and science underly the FLAG tool?

- Roe, S., Streck, C., Obersteiner, M., Frank, S., Griscom, B., Drouet, L., Fricko, O., Gusti, M., Harris, N., Hasegawa, T., Hausfather, Z., Havlík, P., House, J., Nabuurs, G., Popp, A., Sanz Sánchez, M., Sanderman, J., Smith, P., & Stehfest, E., Lawrence, D. (2019). 'Contribution of the land sector to a 1.5°C world'. Nat Clim Change (9), 817-828. https://doi.org/10.1038/s41558-019-0591-9
- Smith, P., Nayak, D. R., Linthorst, G., Peters, D., Bucquet, C., Vuuren, D. P. V., Stehfest, E., Harmsen, M., & Brink, L. V. D. (2016). 'Science-Based GHG Emissions Targets for Agriculture and Forest Commodities.' University of Aberdeen, Ecofys, and PBL. Accessible at https://www.pbl.nl/sites/default/files/downloads/pbl-2016-sciencebased-greenhouse-gas-emissions-targets-for-agriculture-and-forestry-commodities-2856.pdf
- See FLAG Methods Addendum for additional details.

How can my company set science-based targets (SBTs) beyond the FLAG sector?

- Science Based Targets initiative (2020). Science Based Target-setting Manual, Version 4.1, April 2020. Accessible at https://sciencebasedtargets.org/resources/files/SBTi-Corporate-Manual.pdf
- Science Based Targets initiative (2021). SBTi Criteria and Recommendations, TWG-INF-002. Version 5.0. October 2021. https://sciencebasedtargets.org/resources/files/SBTi-criteria.pdf
- Science Based Targets Initiative. Sector-specific guidance available at https://sciencebasedtargets.org/sectors

What other resources can help me with target setting and meeting my target?

The comprehensive accounting guidance will be forthcoming in the GHG Protocol Land Sector and Removals Guidance. See also Table 4 in this document for resources on emissions accounting. The following resources are also recommended for further information about implementing climate-smart land management practices. This list is not exhaustive but seeks to get companies started with helpful resources.

Deforestation/Conversion

- Accountability Framework
- CI-WWF Sustainable Sourcing Guide for Palm Oil Users
- Conservation and Markets Initiative

- Deforestation and Conversion Free Implementation Toolkit
- Pathways to Zero Deforestation Cattle
- WWF's Deforestation Fronts Report
- WWF's Discussion Paper on Jurisdictional Approaches to Zero Deforestation Commodities

Forest Management and Sourcing

- New Generation Plantations
- Paper and Wood Procurement Toolkit
- Responsible Purchasing of Forest Products Second Edition
- The Nature Conservancy: Forests
- WBCSD/WRI Guide to Sustainable Procurement of Wood and Paper Products
- WWF's Forests Forward

Restoration

- American Forest Foundation
- Bonn Challenge
- Global Partnership on Forest and Landscape Restoration
- Restoring America's Forests
- WRI and TNC's The Business of Planting Trees

Agriculture

- Climate-Smart Agriculture Case Studies 2021–Projects From Around the World
- Cool Farm Tool
- FAO Climate Smart Agriculture
- Field to Market
- Food and Land Use Coalition
- Integrated Farm System Model
- Investing in Carbon Neutrality: Utopia or the New Green Wave? Challenges and Opportunities for Agrifood Systems
- Oxfam Climate Smart Agriculture
- Stewardship Index for Specialty Crops
- Synergies and Trade-Offs in Climate-Smart Agriculture
- The Agroforestry Handbook
- The Missing Ingredient: A Food Systems Approach for a 1.5° C World
- WRI: Reduce Greenhouse Gas Emissions from Agricultural Production

Other Resources

- Consumer Goods Forum Sustainable Sourcing Guidelines
- EDF Supply Chain Solution Center
- Forest Trends
- Global Forest Watch
- IPCC Special Report on Climate Change and Land
- Supply Change

- The Sustainability Consortium
 TRASE
 UNCCD Global Land Outlook

REFERENCES

Curtis, P., Slay, C. M., Harris, N. L., Tyukavina, A., & Hansen, M. C. (2018). Classifying drivers of 1108-1111. global forest loss. Sci 361 (6407),https://www.science.org/doi/10.1126/science.aau3445

FAO (2018). Global Livestock Environmental Assessment Model (GLEAM), Model description Version 2.0, Revision 5. Food and Agriculture Organization of the United Nations, Rome, Italy. https://www.fao.org/gleam/resources/en/

Fargione, J., Hill, J., Tilman, D., Polasky, S., & Hawthorne, P. (2008). Land clearing and carbon debt. Sci 319 (5867), 1235-1238. https://www.science.org/doi/10.1126/science.1152747

Goodwin, P., Katavouta, A., Roussenov, V. M., Foster, G. L., Rohling, E. J., & Williams, R. G. (2018). Pathways to 1.5°C and 2°C warming based on observational and geological constraints. Nat Geosci 11 (2), 102-107. https://doi.org/10.1038/s41561-017-0054-8

Griscom, B., Adams, J., Ellis, P. W., Houghton, R. A., Lomax, G. A., Schlesinger, W., Shoch, D., Siikamäkig, J. V., Smith, P., Woodbury, P., Zganjara, C., Blackman, A., Campari, J., Conant, R. T., Delgado, C., Elias, P., Gopalakrishna, P., Hamsik, M. R., Herrerom, M., Kieseckera, J., Landis, E., Laestadius, L., Leavitt, S. M., Minnemeyer, S., Polasky, S., Potapov, P., Putz, F. E., Sanderman, J., Silvius, M., Wollenberg, E., & Fargione, J. (2017) Natural Climate Solutions. PNAS 114 (44) 11645-11650. https://www.pnas.org/doi/full/10.1073/pnas.1710465114

Huppmann, D., Kriegler, E., Krey, V., Riahi, K., Rogelj, J., Rose, S.K., Weyant, J., Bauer, N., et Explorer al. (2018).IAMC 1.5°C Scenario and Data hosted IIASA. https://doi.org/10.22022/SR15/08-2018.15429

IPCC (2006). 2006 IPCC Guidelines for National Greenhouse Gas Inventories, Prepared by the National Greenhouse Gas Inventories Programme, Eggleston, H.S., Buendia, L., Miwa, K., Ngara, Τ. & Tanabe. K. (eds). Published: IGES. Japan. https://www.ipccnggip.iges.or.jp/support/Primer 2006GLs.pdf

IPCC (2022). Climate Change 2022: Sixth Assessment Report of the Intergovernmental Panel on Climate Change. Cambridge University Press. In Press. https://www.ipcc.ch/report/ar6/wg2/

Millar, R. J., Fuglestvedt, J. S., Friedlingstein, P., Rogelj, J., Grubb, M., Matthews, H. D., Skeie, R. B., Forster, P. M. et al. (2017). Emission budgets and pathways consistent with limiting warming to 1.5°C. Nat Geosci 10, 741-747. https://doi.org/10.1038/ngeo3031

Nemecek, T., Bengoa, X., Rossi, V., et al. (2019). World Food LCA Database: Methodological guidelines for the life cycle inventory of agricultural products. Version 3.5. 88.

Penman, J., Gytarsky, M., Hiraishi, T., Krug, T., Kruger, D., Pipatti R., Buendia, L., Miwa, K., Ngara, T., Tanabe, K., & Wagner, F. (2003). Good Practice Guidance for Land Use, Land-Use Change and Forestry. Intergovernmental Panel on Climate Change, National Greenhouse Gas Inventories Programme (IPCC-NGGIP). https://www.ipcc.ch/publication/good-practice-guidancefor-land-use-land-use-change-and-forestry/

Quantis (2019). Accounting for Natural Climate Solutions: Guidance for Measuring GHG Emissions from Land, Forests, and Soils across the Supply Chain. https://quantis.com/who-we-quide/our-impact/sustainability-initiatives/natural-climate-solutions/

Rockström, J., Gaffney, O., Rogelj, J., Meinshausen, M., Nakicenovic, N., & Schellnhuber, H.J. (2017). A roadmap for rapid decarbonization. Sci 355, 1269-1271. https://www.science.org/doi/10.1126/science.aah3443

Roe, S., Streck, C., Obersteiner, M., Frank, S., Griscom, B., Drouet, L., Fricko, O., Gusti, M., Harris, N., Hasegawa, T., Hausfather, Z., Havlík, P., House, J., Nabuurs, G., Popp, A., Sanz Sánchez, M., Sanderman, J., Smith, P., Stehfest, E., & Lawrence, D. (2019). 'Contribution of the land sector to a 1.5°C world'. Nat Clim Change (9), 817-828. https://doi.org/10.1038/s41558-019-0591-9

Rogelj, J., Popp, A., Calvin, K. V., Luderer, G., Emmerling, J., Gernaat, D., Fujimori, S., Strefler, J., et al. (2018). Scenarios towards limiting global mean temperature increase below 1.5°C. Nat Clim Change (8), 325-332. https://doi.org/10.1038/s41558-018-0091-3

Schurer, A. P., Hawkins, E., Mann, M. E., Scott, V., & Tett, S. F. B. (2018). Interpretations of the Paris climate target. Nat Geosci 11, 220–221. https://doi.org/10.1038/s41561-018-0086-8

Science Based Targets Initiative. (2021). Science Based Targets Criteria and Recommendations, Version 5.0. https://sciencebasedtargets.org/resources/files/SBTi-criteria.pdf

Searchinger, T., Heimlich, R., Houghton, R.A., Dong, F., Elobeid, A., Fabiosa, J., Tokgoz, S., Hayes, D., & Yu, T. H. (2008). Use of U.S. croplands for biofuels increases greenhouse gases through emissions from land-use change. Sci 319 (5867), 1238-1240. https://www.science.org/doi/10.1126/science.1151861

Smith, P., Nayak, D. R., Linthorst, G., Peters, D., Bucquet, C., Vuuren, D. P. V., Stehfest, E., Harmsen, M., & Brink, L. V. D. (2016). 'Science-Based GHG Emissions Targets for Agriculture and Forest Commodities.' University of Aberdeen, Ecofys, and PBL. https://www.pbl.nl/sites/default/files/downloads/pbl-2016-science-based-greenhouse-gas-emissions-targets-for-agriculture-and-forestry-commodities-2856.pdf

Tokarska, K. B., & Gillett, N. P. (2018). Cumulative carbon emissions budgets consistent with 1.5°C global warming. Nat Clim Change 8, 296–299. https://doi.org/10.1038/s41558-018-0118-9

Walsh, B., Ciais, P., Janssens, I. A., Peñuelas, J., Riahi, K., Rydzak, R., Vuuren, D. P. V., & Obersteiner, M. (2017). Pathways for balancing CO2 emissions and sinks. Nat Commun. 13 (8), 14856. https://doi.org/10.1038/ncomms14856

Wilkinson, K., Chissell, C., & Foley, J. (2020). The Drawdown Review: Climate Solutions for a New Decade. The Drawdown Review.

https://drawdown.org/sites/default/files/pdfs/TheDrawdownReview%E2%80%932020%E2%80%93Download.pdf

WRI (2022). Greenhouse Gas Protocol Land Sector and Removals Guidance, Draft version. World Resources Institute. https://ghgprotocol.org/land-sector-and-removals-guidance

WRI (2019). Creating a Sustainable Food Future. World Resources Institute https://research.wri.org/sites/default/files/2019-07/WRR_Food_Full_Report_0.pdf

WRI & WBCSD (2014). The Greenhouse Gas Protocol: Agricultural Guidance: Interpreting the Corporate Accounting and Reporting Standard for the agricultural sector. World Resources Institute & World Business Council for Sustainable Development. https://ghgprotocol.org/sites/default/files/standards/GHG%20Protocol%20Agricultural%20Guidance%20%28April%2026%29 0.pdf

WWF (2021). Beyond Carbon Credits: A Blueprint for High-Quality Interventions That Work for People, Nature and Climate.

https://wwfint.awsassets.panda.org/downloads/wwf___beyond_carbon_credits_blueprint.pdf

APPENDIX A: SUMMARY OF DEVELOPMENT PROCESS

2019

- Project proposal and inception.
- Data and model review, interviews with developers.

2020

- Public Launch webinar: SBTi FLAG Sector Development, February 2020. Available here.
- Technical Team and Leadership Team review, July 2020.
- FLAG Consultative Group meeting I: FLAG Project background and progress to date. September 2020.
- NGO Roundtable Discussions on target setting and GHG Protocol, September-December 2020.

2021

- FLAG Consultative Group meeting II: FLAG/GHG Protocol update and Q&A Session, January 28, 2021.
- Public Webinar: Greenhouse Gas Protocol Land Sector and Removals Guidance & SBTi Forest, Land and Agriculture (FLAG), March 3, 2021. Available here.
- FLAG Consultative Group meeting III: FLAG sector tool review and Q&A Session, April 8, 2021.
- Technical expert review of methods developed by Quantis to account for land use change in the commodity pathways. See expert list in acknowledgments, July 15, 2021.
- Public Webinar: Greenhouse Gas Protocol Land Sector and Removals Guidance & SBTi Forest, Land and Agriculture (FLAG), August 2021.
- FLAG Consultative Group meeting IV: FLAG commodity tool review and Q&A Session, July 27, 2021.
- Technical experts review the methods developed by Quantis to develop timber & wood fiber commodity pathway. See expert list in acknowledgments, October 12, 2021.
- FLAG sector pathway review and approval by SBTi Technical Working Group (TWG) for Net Zero, October 2021.
- FLAG Consultative Group meeting V: FLAG Guidance and tools review and Q&A Session, November 15, 2021.
- FLAG draft Guidance review by SBTi TWG, November 2021.
- FLAG-SBTi Leadership Team meeting on FLAG project updates, November 22, 2021.
- FLAG-GHG Protocol Workshop, Session 1, November 23, 2021.
- FLAG-GHG Protocol Workshop, Session 2, December 3, 2021.
- FLAG-TWG meeting I on FLAG Guidance, review of key topics and Q&A Session, December 14, 2021.
- FLAG-GHG Protocol Workshop, Session 3, December 16, 2021.

 FLAG-TWG meeting II on FLAG Guidance, review of key topics and Q&A Session, December 21, 2021.

2022

- FLAG Consultative Group meeting VI: FLAG methods background and Q&A Session, January 11, 2022.
- Public Consultation Launch–SBTi Forest, Land and Agriculture (FLAG), January 18, 2022. Available here.
- FLAG-AFi feedback for SBTi FLAG Guidance, February 14, 2022.
- FLAG-AFi feedback II on deforestation commitments for SBTi FLAG Guidance, April 5, 2022.
- FLAG-GHG Protocol Workshop, Session 4, FLAG-GHG Protocol alignment, April 5, 2022.
- FLAG Consultative Group meeting VII: Key FLAG Guidance and FLAG tool updates and Q&A Session, methods background and Q&A Session, April 27, 2022.
- FLAG TWG meeting III on FLAG guidance, review of key topics and Q&A Session, February 24, 2022.
- FLAG TWG meeting IV on FLAG Guidance, review of key topics, April 6, 2022.
- FLAG TWG: FLAG proposal for regional pathways based on public consultation, April 8, 2022.
- FLAG TWG feedback on FLAG Guidance, June 6, 2022.

APPENDIX B: RESPONSE OPTIONS ASSOCIATED WITH FLAG

The response options identified in leading global scientific reports that are related to the land sector transformation were identified and then classified as either addressed in the FLAG pathways, indirectly incentivized by the FLAG pathways, addressed in other SBTI criteria or not related to FLAG pathways. Reports reviewed include IPCC Special Report on 1.5, 2018; IPCC Special Report on Climate Change and Land, 2019; IPBES Global Assessment, 2019; and Global Land Outlook, 2017.

Response Option	Relationship to FLAG Pathways	
Conservation agriculture	FLAG Sector and Commodity Pathways	
Increased food productivity/Closing the gap between actual and potential yield in all environments	FLAG Sector and Commodity Pathways	
Use land, nutrients and pesticides more efficiently in ag	FLAG Sector and Commodity Pathways	
Encouraging ecological intensification and sustainable use of multifunctional landscapes	FLAG Sector and Commodity Pathways	
Stop expanding the agricultural frontier	FLAG Sector and Commodity Pathways	
Switch emphasis of food production toward land stewardship for the provision of multiple benefits	FLAG Sector and Commodity Pathways	
Reduced grassland conversion to cropland	FLAG Sector and Commodity Pathways	
Improved/sustainable forest management	FLAG Sector and Commodity Pathways	
Reduced deforestation and degradation	FLAG Sector and Commodity Pathways	
Supporting reduced impact logging (RIL)	FLAG Sector and Commodity Pathways	
Reforestation and forest restoration	FLAG Sector and Commodity Pathways	
Reduced pollution, including acidification	FLAG Sector and Commodity Pathways	
Reward sustainable land management practices	FLAG Sector and Commodity Pathways	
Expanding and enhancing sustainable intensification in agriculture (including crops and livestock)	FLAG Sector and Commodity Pathways	
Improved cropland management	FLAG Sector and Commodity Pathways	
Improved grazing land management	FLAG Sector and Commodity Pathways	
Improved livestock management	FLAG Sector and Commodity Pathways	
Biochar addition to soil	FLAG Sector and Commodity Pathways	
Increased soil organic carbon content	FLAG Sector and Commodity Pathways	
Reduced post-harvest losses	FLAG Sector and Commodity Pathways	
Ecosystem restoration	FLAG Sector and Commodity Pathways (on working lands)	
Biodiversity conservation	FLAG Sector and Commodity Pathways (on working lands)	
Agroforestry	FLAG Sector Pathway	
Protect, create, restore and reduce conversion of watersheds and coastal wetlands for habitat conservation, clean water supply and stormwater control	FLAG Sector Pathway	
Restoration and reduced conversion of peatlands	FLAG Sector Pathway	
Reducing food waste (customer and retailer)	FLAG Sector Pathway	
Encouraging dietary transformations (toward plant-based, whole-food diets)	FLAG Sector Pathway, Indirect in Commodity Pathways through IAMs	
Reduce off-site impacts of food and nonfood production	FLAG Sector Pathway, SBTI Absolute Contraction Pathway	
Improving food distribution and transport; localizing food systems	FLAG Sector Pathway, SBTI Absolute Contraction Pathway	
Develop and apply methods that measure farm output in terms that are more than just yield per area, but include nutritional value and wider values in terms of both costs to	FLAG Sector and Commodity Pathways	

Response Option	Relationship to FLAG Pathways
the environment and society and benefits of a healthy landscape	
Improving certification schemes and organic agriculture	Indirect in FLAG Sector and Commodity Pathways
Water-efficient agricultural practices	Indirect in FLAG Sector and Commodity Pathways
Promoting and improving forest certification	Indirect in FLAG Sector and Commodity Pathways
Fire management	Indirect in FLAG Sector and Commodity Pathways
Reduced soil erosion	Indirect in FLAG Sector and Commodity Pathways
Controlling illegal logging	Indirect in FLAG Sector and Commodity Pathways
Monitoring and regulating forest use	Indirect in FLAG Sector and Commodity Pathways
Improving policies relating to Payments for Ecosystem Services and Reducing Emissions from Deforestation and Degradation, esp. to encourage multifunctional land management	Indirect in FLAG Sector and Commodity Pathways
Manage invasive alien species (IAS)/species encroachment through multiple policy instruments	Indirect in FLAG Sector and Commodity Pathways
Prevent/reduce soil compaction	Indirect in FLAG Sector and Commodity Pathways
Prevent/reverse soil salinization	Indirect in FLAG Sector and Commodity Pathways
Transformations in food storage and delivery	Indirect in FLAG Sector and Commodity Pathways
Develop and implement bioenergy, biofuels and BECCS	SBTi Non-FLAG Criteria
Improved energy use in food systems	SBTi Non-FLAG Criteria
Improved food processing and retailing	SBTi Non-FLAG Criteria
Livelihood diversification	Not in FLAG/SBTi
Community-based adaptation (CBA)	Not in FLAG/SBTi
Promotion of seed sovereignty, use of local seeds	Not in FLAG/SBTi
Agricultural diversification	Not in FLAG/SBTi
Afforestation	Not in FLAG/SBTi
Raise awareness about health, sustainability and responsibility	Not in FLAG/SBTi
Gender strategies for achieving land degradation neutrality	Not in FLAG/SBTi
Ecosystem-based adaptation	Not in FLAG/SBTi
Management/reduction of landslides and natural hazards	Not in FLAG/SBTi
Enhanced weathering	Not in FLAG/SBTi
Pricing policies that achieve a balance between the needs of customers to access healthy and nutritious food and the needs of producers to stay in business	Not in FLAG/SBTi
Expanding and improving community-based forest management and comanagement	Not in FLAG/SBTi
Harmonized, synergetic, cross-sectoral, multilevel and spatially targeted policy mixes, developed through transformative landscape governance networks (i.e., policyscapes)	Not in FLAG/SBTi
Recognizing management by Indigenous Peoples & Local Communities and other effective area-based conservation measures (land)	Not in FLAG/SBTi
Improving wildlife management	Not in FLAG/SBTi
Conserving genetic resources for agriculture	Not in FLAG/SBTi
Expanding food market transparency and price stability, stability of food supply	Not in FLAG/SBTi
Improving financing for conservation and sustainable development	Not in FLAG/SBTi
Ensuring more secure and equitable land tenure/managing large-scale land acquisition/preventing land-grabbing Improving transboundary protected area (PA) and	Not in FLAG/SBTi
landscape governance	Not in FLAG/SBTi
Improving management of PAs	Not in FLAG/SBTi
Improving spatial and functional connectivity of PAs	Not in FLAG/SBTi
Addressing the illegal wildlife trade	Not in FLAG/SBTi